KOBELCO®

# PARTS CATALOG

## SK220 IV / SK220LC IV
## Hydraulic Excavator

APPLICABLE: SK220 IV LQU0101~
SK220LC IV LLU1801~

2421R418D3
Issued 12/2016

Printed in U.S.A.
Copyright © 2016 Kobelco Construction Machinery America, LLC. All Rights Reserved


Order the manual at mid-west-tech.com >

# TABLE OF CONTENTS


| | | |
|---|---|---|
| 01-001 | | UPPER FRAME ASSEMBLY |
| 01-002 | | UPPER FRAME ASSEMBLY |
| 01-003 | | UPPER FRAME (REWORK FOR BREAKER OR NIBBLER & BREAKER) |
| 01-004 | | UPPER FRAME (REWORK FOR EXTRA & BREAKER) |
| 01-005 | | UPPER FRAME (REWORK), (FOR LEFT LOWER MIRROR MOUND) |
| 01-006 | | COUNTER WEIGHT ASSEMBLY (CAST) |
| 01-007 | | COUNTER WEIGHT INSTALLATION (FABRICATED) |
| 01-008 | | COUNTER WEIGHT ASSEMBLY |
| 01-009 | | SWING MOTOR ASSEMBLY |
| 01-010 | | HYDRAULIC TANK ASSEMBLY |
| 01-011 | | FUEL TANK ASSEMBLY |
| 00-001 | | FILTER LIST |
| 00-002 | | TUBE SLEEVES |
| 00-003 | | TUBE & HOSE PLUGS |
| 00-004 | | TUBE NUTS |
| 00-005 | | MALE PF PLUGS |
| 00-006 | | FEMALE PF PLUGS |
| 00-007 | | 4-BOLT FLANGE CAPS |
| 00-008 | | HYDRAULIC LINE WRENCHES |
| 00-009 | | KOBELCO (BRAND) FLUIDS & LUBRICANTS |
| 00-010 | | KOBELCO PAINTS |
| 00-011 | | KOBELCO WIRING HARNESS MASTER REPAIR KIT |
| 02-008 | | COVER ASSEMBLY ENGINE(ENGINE HOOD) |
| 02-009 | | UNDER COVER ASSEMBLY |
| 03-007 | 01 | REWORK, REMOTE CONTROL ASSEMBLY (NIBBLER & BREAKER) |
| 05-018 | 02 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 03 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 04 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 05 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 06 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 07 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 08 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 09 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 10 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 05-018 | 11 | AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550) |
| 10-011 | 01 | BOOM ASSEMBLY 9.9M (32FT 6IN) (60' LONG REACH), (24100J19980F1), FIGURE 1 OF 2 |



Order the manual at mid-west-tech.com >

# TABLE OF CONTENTS


| | | |
|---|---|---|
| 10-011 | 02 | BOOM ASSEMBLY 9.9M (32FT 6IN) (60' LONG REACH), (24100J19980F1), FIGURE 2 OF 2 |
| 02-001 | | CAB INSTALLATION |
| 02-002 | 01 | CAB ASSEMBLY |
| 02-002 | 02 | CAB ASSEMBLY |
| 02-003 | | MIRROR INSTALLATION - (FRAME) |
| 02-004 | | FLOOR PLATE ASSEMBLY |
| 02-005 | | SEAT GROUP |
| 02-006 | | SEAT ASSEMBLY |
| 02-007 | 01 | GUARD ASSEMBLY |
| 02-007 | 02 | GUARD ASSEMBLY |
| 11-001 | 01 | NAME PLATE INSTALLATION |
| 11-001 | 02 | NAME PLATE INSTALLATION |
| 11-001 | 03 | NAME PLATE INSTALLATION |
| 11-001 | 04 | NAME PLATE INSTALLATION |
| 11-001 | 05 | NAME PLATE INSTALLATION |
| 11-001 | 06 | NAME PLATE INSTALLATION |
| 11-002 | 01 | NAME PLATE INSTALLATION |
| 11-002 | 02 | NAME PLATE INSTALLATION |
| 11-002 | 03 | NAME PLATE INSTALLATION |
| 11-002 | 04 | NAME PLATE INSTALLATION |
| 11-003 | | TOOL KIT ASSEMBLY |
| 11-004 | | ELEMENT KIT |
| 12-001 | | VALVE ASSY, CONTROL (NIBBLER, NIBBLER & BREAKER) |
| 12-002 | | VALVE ASSY, PORT RELIEF PN YN22V0002F1 |
| 12-003 | | VALVE ASSY, PORT RELIEF PN 24036R77F1 - F7 |
| 12-004 | | VALVE ASSY, CHECK ( ANTI CAVITATION) |
| 12-005 | 01 | VALVE ASSY, CONTROL |
| 12-005 | 02 | VALVE ASSY, CONTROL |
| 12-006 | | VALVE ASSY, RELIEF PN 2436R683F1 - F6 |
| 12-007 | | VALVE ASSY, RELIEF PN 2436R685F1 - F4 |
| 12-008 | | VALVE ASSY, MAIN RELIEF |
| 12-009 | | VALVE ASSY, PORT RELIEF |
| 12-010 | | VALVE ASSY, SEQUENCE |
| 12-011 | | VALVE ASSY, CONTROL (EXTRA AND EXTRA & BREAKER) |
| 12-012 | | VALVE ASSY, OVERLOAD RELIEF |
| 12-013 | | SPOOL ASSY |



Order the manual at mid-west-tech.com >

| | |
|---|---|
| 12-014 | VALVE ASSY, MAIN RELIEF PN 2436R1094F1 |
| 12-015 | SECTION ASSY, INLET |
| 12-016 | MOTOR ASSY (SWING) |
| 12-017 | VALVE ASSY, RELIEF |
| 12-018 | VALVE ASSY |
| 12-019 | VALVE ASSY, REDUCTION (SWING BRAKE RELEASE) |
| 12-020 | VALVE ASSY, CONTROL (SWING) |
| 12-021 | MOTOR ASSY, (HYD) |
| 12-022 | MOTOR ASSY (PROPELLING) |
| 12-023 | VALVE ASSY, OVERLOAD RELIEF |
| 12-024 | VALVE ASSY, PILOT (2 SPEED SHIFT) |
| 12-025 | VALVE ASSY, BRAKE |
| 12-026 | REDUCTION ASSY, PROPELLING |
| 12-027 | PUMP ASSY, GEAR |
| 12-028 | PUMP ASSY |
| 12-029 | VALVE ASSY, SOLENOID |
| 12-030 | REGULATOR ASSY (FRONT) |
| 12-031 | PUMP ASSY |
| 12-032 | CYLINDER ASSY (R.H. BOOM) (2438U1135F1) |
| 12-033 | CYLINDER ASSY (L.H. BOOM) (2438U1136F1) |
| 12-034 | CYLINDER ASSY (ARM) (2438U1137F1) |
| 12-035 | CYLINDER ASSY (BUCKET) (2438U1138F1) |
| 12-036 | CYLINDER ASSY (BUCKET) (FOR 60 LONG REACH FRONT END) (2438U1097F2) |
| 12-037 | VALVE ASSY, SOLENOID PN 2436R732F1 |
| 12-038 | VALVE ASSY, SOLENOID 2436R753F1 |
| 12-039 | VALVE ASSY, HOLDING |
| 12-040 | VALVE ASSY, OVERLOAD RELIEF PN 2436R858F1, F2 |
| 12-041 | VALVE ASSY, RELIEF |
| 12-042 | VALVE ASSY, PILOT |
| 12-043 | VALVE ASSY (BREAKER) |
| 12-044 | VALVE, FLOW DIVIDER (FOR EXTRA OR EXTRA BREAKER) |
| 12-045 | VALVE ASSY, HOLDING |
| 12-046 | VALVE ASSY, SOLENOID PN 2436U1314F1 - F3 |
| 12-047 | VALVE ASSY, BYPASS (INDEPENDENT TRAVEL) (2436U1444F1) |
| 12-048 | VALVE ASSY, SOLENOID PN 2436U1453F1 - F4 |
| 12-049 | VALVE ASSY, HOLDING PN 2436U2623F1, F2 |



Order the manual at mid-west-tech.com >

AIR CONDITIONER KIT INSTALLATION (RED DOT R-1550)

| REF FN | PART NUMBER | YR/SN | QTY | DESCRIPTION |
|---|---|---|---|---|
| | 24100P4816F1 | | AR | KIT AIR CONDITIONER KIT INSTALL (OPTIONALKSK100-130) |
| | {24100P4816F2} | | AR | SK150 AC KIT (RS-3-7490-1P) AIR CONDITIONER KIT INSTALL (OPTIONAL)(SK150-160) |
| | 24100P4816F3 | | AR | KIT AIR CONDITIONER KIT INSTALL (OPTIONAL)(SK200-270) |
| | {24100P4816F4} | | AR | AIR CONDITIONS) KIT INSTALL (OPTIONALKSK300-330) |
| | 24100P4816F5 | | AR | KIT AIR CONDITIONER KIT INSTALL (OPTIONALKSK400-460) |
| 1 | {24100P4816S001} | | 1 | CLAMP |
| 2 | {24100P4816S002} | | 1 | CLAMP |
| 3 | {24100P4816S003} | | 1 | HOSE FOR F4 ONLY |
| 4 | 24100P4816S004 | | 1 | HOSE FOR F3 ONLY |
| 5 | 24100P4816S005 | | 1 | HOSE FOR F3 ONLY |
| 6 | 24100P4816S006 | | 1 | HOSE FOR F3,F4 ONLY |
| 7 | 24100P4816S007 | | 1 | HOSE FOR F2,F3 ONLY |
| 8 | 24100P4816S008 | | 1 | CONDENSER FOR F3,F4,F5 ONLY |
| 9 | 24100P4816S009 | | 2 | BRACKET FOR F3 ONLY |
| 10 | 24100P4816S010 | | 1 | HOSE FOR F2 ONLY |
| 11 | 24100P4816S011 | | 1 | HOSE FOR F1 ONLY |
| 12 | 24100P4816S012 | | 1 | HOSE FOR F2 ONLY |
| 13 | 24100P4816S013 | | 1 | HOSE FOR F1 ONLY |
| 14 | 24100P4816S014 | | 1 | HOSE FOR F4,F5 ONLY |
| 15 | 24100P4816S015 | | 1 | A/C HOSE HOSE,FOR F1 ONLY |
| 16 | {24100P4816S016} | | 1 | HOSE,FOR F1 ONLY |
| 17 | 24100P4816S017 | | 1 | CONDENSER FOR F1,F2 ONLY |
| 18 | 24100P4816S018 | | 2 | BRACKET FOR F1,F2 ONLY |
| 19 | 24100P4816S019 | | 1 | COMPRESSOR |
| 20 | 24100P4816S020 | | 1 | SUPPORT FOR F1,F2,F3 ONLY |
| 21 | {24100P4816S021} | | 1 | SUPPORT,FOR F4 ONLY |
| 22 | 24100P4816S022 | | 1 | SUPPORT FOR F5 ONLY |
| 23 | {24100P4816S023} | | 1 | HOSE,FOR F4 ONLY |
| 24 | 24100P4816S024 | | 1 | HOSE FOR F5 ONLY |

## SK220-MARK IV EXCAVATOR ASN LQU0101 SK220LC-MARK IV EXCAVATOR ASN LLU1801


Order the manual at mid-west-tech.com >

REMOTE CONTROL ASSEMBLY

| REF | FN | PART NUMBER | YR/SN | QTY | DESCRIPTION |
|---|---|---|---|---|---|
| 32 | | 2444Z2447F1 | | 2 | ELBOW UNION Union Elbow ASSY(WITH FILTER) |
| 33 | | 2444Z2338 | | 10 | 90 ELBOW 90° -- (1/4" PFx3/8" PF), (Incls. O-Ring ZD12P01100) |
| 34 | | {244422345} | | 1 | ELBOW |
| 35 | | {244423185} | | 4 | ELBOW |
| 36 | | {244423186} | | 4 | ELBOW |
| 37 | | 2444Z4081 | | 1 | ELBOW (WITH FILTER) |
| 38 | | {244423281} | | 1 | ELBOW |
| 39 | | ZH32X04000 | | 11 | 90 ELBOW Male, 30 Degree Fl, PF 1/4" x PF 1/4", O-Ring Elbow, 90° -- PF 1/4, (Incls. O-Ring 237-6004), (F1 Only) |
| | | ZH32X04000 | | 12 | 90 ELBOW Male, 30 Degree Fl, PF 1/4" x PF 1/4", O-Ring Elbow, 90° -- PF 1/4, (Incls. O-Ring 237-6004), (F2 Only) |
| 40 | | ZH32X06000 | | 11 | 90 ELBOW Male, 30 Degree Fl, PF 3/8" x PF 3/8", O-Ring Elbow, 90° -- (Incls. O-Ring ZD12P01400) Alternate O-Ring 237-6006 |
| 41 | | {244423833} | | 1 | ELBOW, (F1 ONLY) |
| 42 | | {244423783} | | 1 | ELBOW |
| 43 | | 2444Z3155 | | 1 | 90 ELBOW PF 3/8" Fem x PF 3/8" Male 90° -- (PF 3/8) (Incls. O-Ring ZD12P01400) Alternate O-Ring 237-6006 |
| 44 | | 2444T2613 | | 1 | HYD CONNECTOR (W/ 1.25 RESTRICTOR) |
| 46 | | {244422335} | | 3 | CONNECTOR |
| 47 | | {244422337} | | 2 | CONNECTOR |
| 49 | | 2444T2533 | | 1 | TEE (Incls. O-Ring ZD12P01400) |
| 50 | | 2444Z2525 | | 14 | HYD CONNECTOR 1/4"PFx35mm Long (Incls. O-Ring ZD12P01100) |
| 52 | | {244422891} | | 2 | CONNECTOR |
| 53 | | {244423280} | | 1 | CONNECTOR |
| 54 | | 2444Z3322D3 | | 1 | HYD CONNECTOR 1/8"PF x 1/8"PT x 25mm Long (Incls. O-Ring) |
| 55 | | {244423759} | | 1 | CONNECTOR |
| 56 | | {244423163} | | 1 | CONNECTOR (W/ 1.25 RESTRICTOR) |
| 57 | | 2444Z3943 | | 1 | ELEC CONNECTOR 3/8" PF - 3/8"PFx 35mm Long (Incls. O-Ring ZD12P01400) |

**SK220-MARK IV EXCAVATOR ASN LQU0101 SK220LC-MARK IV EXCAVATOR ASN LLU1801**


Order the manual at mid-west-tech.com >

ARM ASSEMBLY, 3.66M (12FT) (N.A.) (EXTRA & BREAKER)

| REF | FN | PART NUMBER | YR/SN | QTY | DESCRIPTION |
|---|---|---|---|---|---|
| | | {24100J18245F1} | | | ARM, 3.4M, (11FT 2in) (OPTION - N.A.) |
| | | {24100J18245F2} | | | ARM, 3.4M, (11FT 2in) (W/BREAKER) |
| | | {24100J18245F3} | | | ARM, 3.4M, (11 FT 2in) (W/NIBBLER & BREAKER |
| | | {24100J18245F4} | | | ARM, 3.4M, (11 FT 2in) (W/EXTRA & BREAKER) |
| | | {24100J18245F5} | | | ARM, 3.4M, (11FT 2in) (W/EXTRA) |
| 1 | | 2411J5259D1F1 | | 1 | ARM ARM (NO ATTACHMENT),FOR F1 ONLY |
| 1-25 | | 2405T1293 | | 2 | BUSHING FOR F1 ONLY |
| 1-26 | | B05T0041C2 | | 2 | BUSHING FOR F1 ONLY |
| 1-27 | | 2405T1332 | | 2 | BUSHING FOR F1 ONLY |
| 2 | 1 | 2438U1138F1 | | 1 | CYLINDER |
| 3 | | 2406N1663F1 | | 1 | LINK CONROD |
| 3-8 | | 2405T1263 | | 2 | BUSHING |
| 3-9 | | 2405T1264 | | 2 | BUSHING |
| 4 | | 2406P4903D1 | | 1 | LINK CONROD IDLER |
| 5 | | 2406P4903D2 | | 1 | LINK CONROD |
| 6 | | 2419P4041 | | 1 | PIN |
| 7 | | 2419P4046D2 | | 1 | PIN |
| 8 | | 2419P4044D1 | | 1 | PIN 80mm OD x 480mm L |
| 9 | | 2419T7611D1 | | 2 | PIN 90mm OD x 500mm L |
| 10 | | 2419P4045D1 | | 1 | PIN 70mm OD x 449mm L FOR F1 ,F3,F4,F5 ONLY |
| 11 | | 2418T18163 | | 1 | RIGID TUBE |
| 12 | | 2418T17669 | | 1 | RIGID TUBE |
| 13 | | 2444R1177D5 | | 2 | HOSE 1700mm Long (66-59/64 in) |
| 14 | | 2445R220D4 | | 4 | SEAL 78.7mm ID x 95mm OD x 5mm Thk Dust -- ID 80 X OD 95 x Th 5mm |
| 15 | | 2445R220D3 | | 2 | SEAL 70mm ID x 85mm OD x 5mm Thk Dust -- ID 70 x OD 85 x Th 5mm |
| 16 | | 2445R220D6 | | 6 | SEAL 90mm ID x 105mm OD x 6mm Thk Dust -- ID 90 X OD 105 x Th 6mm |
| 17 | | ZG91S02000 | | 5 | LUBE NIPPLE 1/8" NPT x 1/8" NPT 1/8" PT -- Straight |
| 18 | | ZG91U02000 | | 1 | LUBE NIPPLE 90° x 1/8" PT |
| 19 | | ZD12P02600 | | 2 | O-RING ID 25.70 ± 0.26 x OD 32mm |
| 20 | | 2420T4330D9 | | 1 | SCREW M16 x 2 x 130mm M16x2.0x130mm |

(1) SEE(C.P.M)

## SK220-MARK IV EXCAVATOR ASN LQU0101 SK220LC-MARK IV EXCAVATOR ASN LLU1801


Order the manual at mid-west-tech.com >