Illustrated Parts Manual

Model
1930ES

PVC
1910
2004

P/N
31215075

March 15, 2020 - Rev B

ANSI

AS/NZS

An Oshkosh Corporation Company

MidWestTech | JLG 1930ES Scissor Lift Parts Manual | Publication 31215075

Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

SECTION 1 - FRAME 11

FIGURE 1-1. STEERING INSTALLATION 12
FIGURE 1-2. DRIVE HUB AND MODULE INSTALLATION 14
FIGURE 1-3. DRIVE HUB AND MODULE INSTALLATION (BELGIUM BUILT MACHINES ONLY) 16
FIGURE 1-4. DRIVE MOTOR/HUB ASSEMBLY 18
FIGURE 1-5. HUB ASSEMBLY - REAR 22
FIGURE 1-6. TIRE AND WHEEL ASSEMBLY (SOLIDEAL) 24
FIGURE 1-7. TIRE AND WHEEL ASSEMBLY (EXMILE) 26
FIGURE 1-8. POTHOLE PROTECTION INSTALLATION - NON-UL 28
FIGURE 1-9. CHARGER (INVERTER) INSTALLATION (ANSI, ANSI EXPORT AND CSA SPECS)BATTERY CHARGER INSTALLATION WITH LOCALLY SUPPLIED PLUG (AUSTRALIAN SPEC) 30
FIGURE 1-10. BATTERY CHARGER INSTALLATION - DELTA-Q WITH 110 PLUG (ANSI, ANSI EXPORT, CSA, JAPANESE AND KOREA SPECS) 32
FIGURE 1-11. BATTERY CHARGER INSTALLATION - DELTA-Q WITH CHINESE PLUG (ANSI EXPORT, CHINESE AND KOREA SPECS) 34
FIGURE 1-12. BATTERY CHARGER INSTALLATION - DELTA-Q WITH LOCALLY SUPPLIED PLUG (ANSI, ANSI EXPORT, CE, CSA AND KOREA SPECS) 36
FIGURE 1-13. BATTERY CHARGER INSTALLATION - DELTA-Q WITH LOCALLY SUPPLIED PLUG (AUSTRALIAN SPEC) .. 38
FIGURE 1-14. BATTERY CHARGER INSTALLATION - DELTA-Q WITH VOLTAGE GUARD (LOCALLY SUPPLIED PLUG) (ANSI EXPORT AND KOREA SPECS) 40
FIGURE 1-15. BATTERY CHARGER INSTALLATION - DELTA-Q WITH VOLTAGE GUARD AND CHINESE PLUG (ANSI EXPORT, CHINESE AND KOREA SPECS) 42
FIGURE 1-16. BATTERY CHARGER INSTALLATION - EAGLE PERFORMANCE (ANSI AND CSA SPEC) 44
FIGURE 1-17. BATTERY CHARGER INSTALLATION WITH LOCALLY SUPPLIED - EAGLE PERFORMANCE (ANSI AND CSA SPEC) 46
FIGURE 1-18. BATTERY CHARGER ASSEMBLY EAGLE PERFORMANCE 48
FIGURE 1-19. BATTERY CHARGER INSTALLATION - GREEN POWER (CHINESE PLUG) (CHINESE SPECS) 50
FIGURE 1-20. BEACON (AMBER) LIGHT INSTALLATION (OPTIONAL) 52
FIGURE 1-21. LADDER INSTALLATION - 1930ES 54

SECTION 2 - GROUND COMPONENTS 57

FIGURE 2-1. GROUND CONTROL BOX/ALARM INSTALLATION - LSS (CHINA BUILT MACHINES) 58
FIGURE 2-2. GROUND CONTROL BOX/ALARM INSTALLATION - LSS (CE SPECS) (BELGIUM BUILT MACHINES) 60
FIGURE 2-3. GROUND CONTROL BOX ASSEMBLY - LSS 62
FIGURE 2-4. BATTERIES INSTALLATION - AGM AND EVG TYPE - 225 AH RATING (NON-LOCKING COVERS) 64
FIGURE 2-5. BATTERIES INSTALLATION - AGM AND EVG TYPE - 225 AH RATING (NON-UL LOCKING COVERS) 66
FIGURE 2-6. BATTERIES INSTALLATION - AGM VISION AND EVG TYPE - 220 AH RATING (NON-LOCKING COVERS) 68
FIGURE 2-7. BATTERIES INSTALLATION - AGM VISION AND EVG TYPE - 220 AH RATING (NON-UL LOCKING COVERS) 70
FIGURE 2-8. BATTERIES INSTALLATION - GC TYPE - 225 AH RATING (NON-LOCKING COVERS) 72
FIGURE 2-9. BATTERIES INSTALLATION - GC TYPE - 225 AH RATING (NON-UL LOCKING COVERS) 74
FIGURE 2-10. BATTERIES INSTALLATION - GC TYPE - 225 AH RATING (UL LOCKING COVERS) 76
FIGURE 2-11. BATTERIES INSTALLATION - 220 AH RATING WITHOUT BATTERIES (NON LOCKING COVERS) 78
FIGURE 2-12. BATTERY TRAY ASSEMBLY - NON-UL 80
FIGURE 2-13. BATTERY COVER ASSEMBLY - NON-LOCKING 82
FIGURE 2-14. BATTERY COVER ASSEMBLY - LOCKING 84
FIGURE 2-15. BRAKE DISCONNECT AND MDI (MULTIFUNCTION DIGITAL INDICATOR) GAUGE INSTALLATION 86
FIGURE 2-16. BRAKE CABLE INSTALLATION (OPTIONAL) 88

SECTION 3 - SCISSOR ARMS 91

FIGURE 3-1. SCISSORS ARMS INSTALLATION - 1930ES STANDARD HYDRAULIC OIL 92
FIGURE 3-2. SCISSORS ARMS ASSEMBLY - 1930ES STANDARD HYDRAULIC OIL 94
FIGURE 3-3. SCISSORS ARMS INSTALLATION - 1930ES BIODEGRADEABLE HYDRAULIC OIL (CHINA BUILT MACHINES) 96
FIGURE 3-4. SCISSORS ARMS ASSEMBLY - 1930ES BIODEGRADEABLE HYDRAULIC OIL (CHINA BUILT MACHINES) 98

SECTION 4 - PLATFORM 101

FIGURE 4-1. PLATFORM INSTALLATION - WITH INSIDE EXTENSION RAILS AND WITH LSS 102
FIGURE 4-2. PLATFORM INSTALLATION - WITH OUTSIDE EXTENSION RAILS AND WITH LSS 104
FIGURE 4-3. PLATFORM AND EXTENSION ASSEMBLY - WITH INSIDE EXTENSION RAILS 106
FIGURE 4-4. PLATFORM AND EXTENSION ASSEMBLY - WITH OUTSIDE EXTENSION RAILS 108
FIGURE 4-5. LATCH ASSEMBLY - WITH INSIDE EXTENSION RAILS 110
FIGURE 4-6. LATCH ASSEMBLY - WITH OUTSIDE EXTENSION RAILS 112

MidWestTech | JLG 1930ES Scissor Lift Parts Manual | Publication 31215075 Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

FIGURE 4-7. RAILS INSTALLATION - WITH INSIDE EXTENSION RAILS AND SELF CLOSING GATE (AUSTRALIAN SPECS) 114
FIGURE 4-8. RAILS INSTALLATION - WITH INSIDE EXTENSION RAILS, HANDLE AND SELF CLOSING GATE (AUSTRALIAN SPECS) 116
FIGURE 4-9. RAIL KIT - WITH INSIDE EXTENSION RAILS AND SELF CLOSING GATE 118
FIGURE 4-10. RAIL KIT - WITH INSIDE EXTENSION RAILS, HANDLE AND SELF CLOSING GATE 120
FIGURE 4-11. RAILS INSTALLATION - WITH INSIDE EXTENSION RAILS AND SELF CLOSING GATE 122
FIGURE 4-12. RAILS INSTALLATION - WITH INSIDE EXTENSION RAILS, HANDLE AND SELF CLOSING GATE 124
FIGURE 4-13. RAILS INSTALLATION - WITH OUTSIDE EXTENSION RAILS AND SELF CLOSING GATE 126
FIGURE 4-14. RAIL KIT - WITH INSIDE EXTENSION RAILS AND SELF CLOSING GATE 128
FIGURE 4-15. RAIL KIT - WITH INSIDE EXTENSION RAILS, HANDLE AND SELF CLOSING GATE 130
FIGURE 4-16. RAIL KIT - WITH OUTSIDE EXTENSION RAILS AND SELF CLOSING GATE 132
FIGURE 4-17. PLATFORM CONSOLE ASSEMBLY 134
FIGURE 4-18. DRIVE/STEER CONTROLLER ASSEMBLY 136
FIGURE 4-19. PLATFORM CONSOLE HANGER INSTALLATION (OPTIONAL) 138
FIGURE 4-20. WORKSTATION WITHOUT DC CONVERTER INSTALLATION 140
FIGURE 4-21. ELECTRICIAN'S TREE INSTALLATION 142
FIGURE 4-22. LOW HEIGHT DRIVE CUTOUT (JAPANESE SPECS ONLY) 144
FIGURE 4-23. OVERHEAD PROTECTION AND LOW HEIGHT DRIVE CUTOUT (KOREA SPECS ONLY) (PVC 1910) 146
FIGURE 4-24. OVERHEAD PROTECTION AND LOW HEIGHT DRIVE CUTOUT (KOREA SPECS ONLY) (PVC 2004) 148
FIGURE 4-25. OVERHEAD SWITCH KIT (FRONT) 150
FIGURE 4-26. PANEL INSTALLATION (AUSTRALIAN AND CE SPECS) 152
FIGURE 4-27. PIPE RACK INSTALLATION (AUSTRALIAN AND CE SPECS) 154
FIGURE 4-28. QUIK WELDER INSTALLATION 156
FIGURE 4-29. QUIK WELDER READY INSTALLATION 158

SECTION 5 - CYLINDER 161

FIGURE 5-1. LIFT CYLINDER ASSEMBLY - 1930ES WITH STANDARD HYDRAULIC OIL (SH-PAC) 162
FIGURE 5-2. LIFT CYLINDER ASSEMBLY - 1930ES WITH STANDARD HYDRAULIC OIL (SH-PAC) 166
FIGURE 5-3. LIFT CYLINDER ASSEMBLY - 1930ES WITH BIODEGRADEABLE HYDRAULIC OIL (SH-PAC) 170
FIGURE 5-4. STEER CYLINDER ASSEMBLY (SH-PAC) 174

SECTION 6 - HYDRAULIC 177

FIGURE 6-1. HYDRAULIC DIAGRAM LIST 178

SECTION 7 - ELECTRICAL 179

FIGURE 7-1. AC BOX AT PLATFORM INSTALLATION - 110V GFI 180
FIGURE 7-2. AC BOX AT PLATFORM INSTALLATION - 220V CEE7 SIDE (ANSI EXPORT SPEC ONLY) 182
FIGURE 7-3. AC BOX AT PLATFORM INSTALLATION - 110V IEC YELLOW (CE SPEC ONLY) 184
FIGURE 7-4. AC BOX AT PLATFORM INSTALLATION - 220V IEC BLUE (CE SPEC ONLY) 186
FIGURE 7-5. AC BOX AT PLATFORM INSTALLATION - 220V AFSINT107 (CE SPEC ONLY) 188
FIGURE 7-6. AC BOX AT PLATFORM INSTALLATION - 220V CEE7 SIDE GRD (CE SPEC ONLY) 190
FIGURE 7-7. AC BOX AT PLATFORM INSTALLATION - 220V CEE7 POST GRD (CE SPEC ONLY) 192
FIGURE 7-8. AC BOX AT PLATFORM INSTALLATION - 220V (CHINA SPEC ONLY) 194
FIGURE 7-9. BATTERY CABLE KIT 196
FIGURE 7-10. BRAKE DISCONNECT HARNESS 198
FIGURE 7-11. BREAKER BOX KIT WITH TWO BREAKERS (CE SPEC ONLY) 200
FIGURE 7-12. BREAKER BOX KIT WITH THREE BREAKERS (CE SPEC ONLY) 202
FIGURE 7-13. CABLES INSTALLATION 204
FIGURE 7-14. CABLES INSTALLATION 206
FIGURE 7-15. CHARGER CORD PLUG INSTALLATION - 110V IEC YELLOW (CE SPEC ONLY) 208
FIGURE 7-16. CHARGER CORD PLUG INSTALLATION - 220V IEC BLUE (CE SPEC) 210
FIGURE 7-17. CHARGER CORD PLUG INSTALLATION - 220V AFSINT 107 (CE SPEC) 212
FIGURE 7-18. CHARGER CORD PLUG INSTALLATION - 220V CEE7 POST GROUND (CE SPEC) 214
FIGURE 7-19. CHARGER CORD PLUG INSTALLATION - 220V POST GROUND (CE SPEC) 216
FIGURE 7-20. CHARGER CORD PLUG INSTALLATION (KOREA SPEC) 218
FIGURE 7-21. CHARGER HARNESS TO CHASSIS HARNESS 220
FIGURE 7-22. CHARGER HARNESS TO BATTERY 222
FIGURE 7-23. CHASSIS HARNESS 224
FIGURE 7-24. CYLINDER HARNESS 226
FIGURE 7-25. DRIVE CABLE ASSEMBLY 228
FIGURE 7-26. DRIVE FIELD CONNECTION HARNESS 230
FIGURE 7-27. ES HARNESS (CAN SPLICE) 232
FIGURE 7-28. GROUND CONTROL BOX HARNESS 234

MidWestTech | JLG 1930ES Scissor Lift Parts Manual | Publication 31215075 Order the manual at mid-west-tech.com >

FIGURE 7-29. GROUND TO PLATFORM HARNESS 236
FIGURE 7-30. GROUND TO PLATFORM HARNESS 238
FIGURE 7-31. LOAD SENSE HARNESS 240
FIGURE 7-32. MDI (MULTIFUNCTION DIGITAL INDICATOR) HARNESS 242
FIGURE 7-33. PLATFORM BOX HARNESS 244
FIGURE 7-34. PLATFORM CABLE ASSEMBLY 246
FIGURE 7-35. PUMP POWER CABLE ASSEMBLY 248
FIGURE 7-36. RECEPTACALE BOX KIT – 110V GFI 250
FIGURE 7-37. RECEPTACALE BOX KIT – 110V IEC YELLOW (CE SPEC) 252
FIGURE 7-38. RECEPTACALE BOX KIT – 220V IEC BLUE (CE SPEC) 254
FIGURE 7-39. RECEPTACALE BOX KIT – 220V AFSINT 107 (CE SPEC) 256
FIGURE 7-40. RECEPTACALE BOX KIT – 220V CEE7 SIDE GROUND (CE SPEC) 258
FIGURE 7-41. RECEPTACALE BOX KIT – 220V CEE7 POST GROUND (CE SPEC) 260

SECTION 8 - DECALS 263

FIGURE 8-1. DECAL INSTALLATION - ANSI SPEC (ENGLISH) 264
FIGURE 8-2. DECAL INSTALLATION - AUSTRALIAN SPEC (ENGLISH) 266
FIGURE 8-3. DECAL INSTALLATION - BRAZIL SPEC (PORTUGUESE/SPANISH) 268
FIGURE 8-4. DECAL INSTALLATION - CE SPEC (ENGLISH) 270
FIGURE 8-5. DECAL INSTALLATION - CHINA SPEC (GB) 272
FIGURE 8-6. DECAL INSTALLATION - CHINESE SPEC (CHINESE/ENGLISH) 274
FIGURE 8-7. DECAL INSTALLATION - CSA SPEC (ENGLISH/FRENCH) 276
FIGURE 8-8. DECAL INSTALLATION - KOREAN SPEC (KOREAN/ENGLISH) 278
FIGURE 8-9. DECAL INSTALLATION - LATIN AMERICAN SPEC (ENGLISH/SPANISH) 280
FIGURE 8-10. DECAL INSTALLATION - OPTIONS 282

SECTION 9 - RECOMMENDED SERVICE PARTS 285

FIGURE 9-1. RECOMMENDED SERVICE PARTS STOCK 286

SECTION 10 - SPECIAL OPTIONS 287

FIGURE 10-1. SPECIAL OPTIONS 288

PART NUMBER INDEX 291

MidWestTech | JLG 1930ES Scissor Lift Parts Manual | Publication 31215075 Order the manual at mid-west-tech.com >

FIGURE 6-1. HYDRAULIC DIAGRAM LIST

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
		Ref	HYDRAULIC DIAGRAM LIST	
		Ref	Note: For hoses and fittings associated with steering, see Steering Installation.	
	2792599	Ref	Hydraulic Schematic - USA Built Machines (Not Shown - See Service Manual)	
	1001143663	Ref	Hydraulic Schematic - China Built Machines (Not Shown - See Service Manual)	

MidWestTech | JLG 1930ES Scissor Lift Parts Manual | Publication 31215075 Order the manual at mid-west-tech.com >

FIGURE 9-1. RECOMMENDED SERVICE PARTS STOCK

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
		Ref	Note: The following list will service one machine (built to current production per date on the front cover) with emergency repair parts which can be installed in the field. Parts from the list should be replaced when inventory is depleted to keep service parts stock supplied. For further information, contact your JLG dealer or the JLG Industries Parts Department.	
		Ref	STANDARD PARTS	
	4360069	1	Breaker, Circuit - 10 Amp	
	4360328	1	Switch, Toggle	
	2860030	1	Key, Replacement	
	4360475	1	Switch, Mushroom	
	4360387	1	Switch, Push Button	
	1001092354	1	Switch, Rotary Angle Sensor	
	1600402	1	Controller, Drive/Steer	
	4360538	1	Switch and Membrane	
	4360539	1	Switch, Toggle	
	1001097347	1	Relay	
	70004928	1	Filter - 300 Micron	
	70003707	1	Coil	
		Ref	VARIABLE PARTS	
	1001092456	1	Module, Drive Control	
	1001109088	1	Switch, Limit	
	1001130614	1	Switch, Limit (Machines with Overhead Protection and Low Height Drive Cutout)	
	0610161	1	PC Board - Charger	
	4360469	1	Switch, Key	
	1001163095	1	Sensor, Tilt	
	1600439	1	PC Board, Console Box	
	4360613	1	Switch, Limit (Brake Disconnect)	
	1001181045	1	Breaker, Circuit – 16Amp/30mA (CE Spec Only)	
	1001189171	1	Breaker, Circuit - 30mA (CE Spec Only)	
	1001189172	1	Breaker, Circuit - Double 16 Amp (CE Spec Only)	

MidWestTech | JLG 1930ES Scissor Lift Parts Manual | Publication 31215075 Order the manual at mid-west-tech.com >