Illustrated Parts Manual

Model
3369LE
4069LE
M3369
M4069

PVC
1911
2004

P/N
31215086

March 15, 2020 - Rev B

ANSI

CE

AS/NZS

An Oshkosh Corporation Company

Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

SECTION 1 - FRAME 11

FIGURE 1-1. REAR AXLE INSTALLATION - FIXED 12
FIGURE 1-2. REAR AXLE INSTALLATION - OSCILLATING (ALL SPECS EXCEPT CE SPEC) 14
FIGURE 1-3. OSCILLATING AXLE VALVE ASSEMBLY (ALL SPECS EXCEPT CE SPEC) 16
FIGURE 1-4. REAR AXLE INSTALLATION - OSCILLATING (CE SPEC) 18
FIGURE 1-5. OSCILLATING AXLE VALVE ASSEMBLY (CE SPEC) 20
FIGURE 1-6. STEERING INSTALLATION - 2WD 22
FIGURE 1-7. STEERING INSTALLATION - 4WD 24
FIGURE 1-8. STEERING AND FRONT DRIVE INSTALLATION - 4WD FRONT 26
FIGURE 1-9. STEERING INSTALLATION - WITH TOW BAR (M3369 CE SPECS ONLY) 28
FIGURE 1-10. WHEEL DRIVE AND CONTROLLER INSTALLATION - 2WD/4WD REAR 30
FIGURE 1-11. HUB ASSEMBLY - 2WD FRONT 32
FIGURE 1-12. DRIVE HUB ASSEMBLY - 2WD/4WD REAR 34
FIGURE 1-13. DRIVE BRAKE ASSEMBLY - 2WD/4WD REAR 38
FIGURE 1-14. DRIVE MOTOR ASSEMBLY - OPERATORS POSITION RH SIDE - 4WD FRONT 40
FIGURE 1-15. DRIVE MOTOR ASSEMBLY - OPERATORS POSITION LH SIDE - 4WD FRONT 42
FIGURE 1-16. DRIVE MOTOR ASSEMBLY - 2WD/4WD REAR 44
FIGURE 1-17. DRIVE VALVE ASSEMBLY - 4WD ONLY 46
FIGURE 1-18. FLOW DIVIDER VALVE ASSEMBLY - 4WD ONLY 48
FIGURE 1-19. TIRE AND WHEEL INSTALLATION - IN240/55 X 17.5 FOAM-FILLED 50
FIGURE 1-20. TIRE AND WHEEL INSTALLATION - IN240/55 X 17.5 NON-MARKING FOAM FILLED 52
FIGURE 1-21. TIRE AND WHEEL INSTALLATION - 27.2/10.5LL X 15 TURF FOAM-FILLED 54
FIGURE 1-22. LEVELING JACKS INSTALLATION - OPTIONAL 56
FIGURE 1-23. LEVELING JACK CONTROL VALVE ASSEMBLY 58
FIGURE 1-24. BATTERY CHARGER INSTALLATION - 110V/60HZ (3369LE & 4069LE ANSI, ANSI EXPORT, CSA AND JAPANESE SPECS) 60
FIGURE 1-25. BATTERY CHARGER INSTALLATION - 110V/60HZ (M3369 & M4069 ANSI, ANSI EXPORT, CSA AND JAPANESE SPECS) 62
FIGURE 1-26. BATTERY CHARGER INSTALLATION - 120-240V/50-60HZ (3369LE & 4069LE ANSI, ANSI EXPORT, CSA AND CE SPECS) 64
FIGURE 1-27. BATTERY CHARGER INSTALLATION - 120-240V/50-60HZ (M3369 & M4069 ANSI, ANSI EXPORT, CSA AND CE SPECS) 66
FIGURE 1-28. BATTERY CHARGER INSTALLATION - 250V/50HZ (3369LE & 4069LE ANSI EXPORT AND AUSTRALIAN SPECS) 68
FIGURE 1-29. BATTERY CHARGER INSTALLATION - 250V/50HZ (M3369 & M4069 ANSI EXPORT AND AUSTRALIAN SPECS) 70
FIGURE 1-30. BATTERY CHARGER ASSEMBLY 72
FIGURE 1-31. BATTERY CHARGER DOOR ASSEMBLY - 3369LE & 4069LE 74
FIGURE 1-32. INVERTER INSTALLATION - OPTIONAL 76
FIGURE 1-33. BEACON INSTALLATION 78
FIGURE 1-34. LADDER INSTALLATION WITHOUT LEVELING JACKS - 3369LE/M3369 (ALL SPEC EXCEPT CE SPEC) 80
FIGURE 1-35. LADDER INSTALLATION WITHOUT LEVELING JACKS - 3369LE/M3369 (CE SPEC) 82
FIGURE 1-36. LADDER INSTALLATION WITHOUT LEVELING JACKS - 4069LE/M4069 (ALL SPECS EXCEPT CE SPEC) 84
FIGURE 1-37. LADDER INSTALLATION WITHOUT LEVELING JACKS - 4069LE/M4069 (CE SPECS) 86
FIGURE 1-38. LADDER INSTALLATION WITH LEVELING JACKS 88
FIGURE 1-39. FRAME COVER INSTALLATION (STANDARD) 90
FIGURE 1-40. FRAME COVER INSTALLATION (M3369/M4069) (HOSTILE ENVIRONMENT) 92
FIGURE 1-41. FRAME COVER INSTALLATION (3369LE/40369LE) (HOSTILE ENVIRONMENT) 94
FIGURE 1-42. TOW BAR INSTALLATION (M3369 CE SPECS ONLY) 96
FIGURE 1-43. TOW BAR ASSEMBLY (M3369 CE SPECS ONLY) 98

SECTION 2 - GROUND COMPONENTS 101

FIGURE 2-1. MAIN CONTROL VALVE INSTALLATION 102
FIGURE 2-2. MAIN CONTROL VALVE ASSEMBLY 104
FIGURE 2-3. HYDRAULIC COMPARTMENT INSTALLATION 106
FIGURE 2-4. MOTOR ASSEMBLY 108
FIGURE 2-5. GROUND CONTROL BOX AND HORN INSTALLATIONS - 3369LE/4069LE WITHOUT LEVELING JACKS (ALL SPECS EXCEPT CE SPEC) 110
FIGURE 2-6. GROUND CONTROL BOX AND HORN INSTALLATIONS - 3369LE/4069LE WITHOUT LEVELING JACKS (CE SPEC) 112
FIGURE 2-7. GROUND CONTROL BOX AND HORN INSTALLATIONS - 3369LE/4069LE WITH LEVELING JACKS (ALL SPECS EXCEPT CE SPEC) 114
FIGURE 2-8. GROUND CONTROL BOX AND HORN INSTALLATIONS - 3369LE/4069LE WITH LEVELING JACKS (CE SPEC) 116

MidWestTech | JLG 3369LE, 4069LE, M3369, M4069 Scissor Lift Parts Manual | Publicatio... Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

FIGURE 2-9. GROUND CONTROL BOX AND HORN INSTALLATIONS - M3369/M4069 (2WD - ALL SPECS EXCEPT CE SPEC) 118
FIGURE 2-10. GROUND CONTROL BOX AND HORN INSTALLATIONS - M3369/M4069 (2WD - CE SPEC) 120
FIGURE 2-11. GROUND CONTROL BOX AND HORN INSTALLATIONS - M3369/M4069 (4WD - ALL SPECS EXCEPT CE SPEC) 122
FIGURE 2-12. GROUND CONTROL BOX AND HORN INSTALLATIONS - M3369/M4069 (4WD - CE SPEC) 124
FIGURE 2-13. GROUND CONTROL BOX AND HORN INSTALLATIONS - M4069 (DRIVE AT FULL HEIGHT) 126
FIGURE 2-14. GROUND CONTROL BOX ASSEMBLY - 3369LE/4069LE (ALL SPECS EXCEPT CE SPEC) 128
FIGURE 2-15. GROUND CONTROL BOX ASSEMBLY - 3369LE/4069LE (CE SPEC) 130
FIGURE 2-16. GROUND CONTROL BOX ASSEMBLY - M3369/M4069 (ALL SPECS EXCEPT CE SPEC) 132
FIGURE 2-17. GROUND CONTROL BOX ASSEMBLY - M3369/M4069 (CE SPECS) 134
FIGURE 2-18. GROUND CONTROL BOX ASSEMBLY - M4069 DRIVE AT FULL HEIGHT 136
FIGURE 2-19. GROUND CONTROL BOX COMPONENTS 138
FIGURE 2-20. BATTERY BOX INSTALLATION - 370A-H BATTERIES 140
FIGURE 2-21. BATTERY BOX INSTALLATION - 390A-H AGM BATTERIES 142
FIGURE 2-22. ALARM INSTALLATION 144
FIGURE 2-23. ALARM INSTALLATION - MOTION 146
FIGURE 2-24. COVERS INSTALLATION 148
FIGURE 2-25. TANK INSTALLATION - M3369/M4069 (MACHINES WITH STANDARD BATTERY) 152
FIGURE 2-26. TANK INSTALLATION - M3369/M4069 (MACHINES WITH AGM BATTERY) 154

SECTION 3 - ENGINE 157

FIGURE 3-1. KUBOTA ENGINE/GENERATOR INSTALLATION - M3369/M4069 (WITH STANDARD BATTERY) 158
FIGURE 3-2. KUBOTA ENGINE/GENERATOR INSTALLATION - M3369/M4069 (WITH AGM BATTERY) 160
FIGURE 3-3. KUBOTA MOTOR/GENERATOR ASSEMBLY 162
FIGURE 3-4. KUBOTA MOTOR/GENERATOR COMPONENTS 164

SECTION 4 - SCISSORS ARMS 167

FIGURE 4-1. SCISSORS ARMS INSTALLATION WITH LSS - 3369LE/M3369 168
FIGURE 4-2. SCISSORS ARMS ASSEMBLY WITH LSS - 3369LE/M3369 170
FIGURE 4-3. SCISSORS ARMS INSTALLATION WITH LSS - 4069LE/M4069 174
FIGURE 4-4. SCISSORS ARMS ASSEMBLY WITH LSS - 4069LE/M4069 176
FIGURE 4-5. SCISSORS ARM GUARDS INSTALLATION (CE SPECS ONLY) 180
FIGURE 4-6. SCISSORS ARM GUARDS INSTALLATION – WITH TOW BAR (CE SPECS ONLY) 182

SECTION 5 - PLATFORM 185

FIGURE 5-1. PLATFORM INSTALLATION WITHOUT D-RINGS AND WITH LSS 186
FIGURE 5-2. PLATFORM INSTALLATION WITH D-RINGS AND WITH LSS 190
FIGURE 5-3. HANDRAILS INSTALLATION WITH SELF-CLOSING GATE 194
FIGURE 5-4. 3FT PLATFORM EXTENSION W/RAILS 196
FIGURE 5-5. CONSOLE BOX ASSEMBLY - 3369LE/4069LE NO LEVELING 198
FIGURE 5-6. CONSOLE BOX ASSEMBLY - 3369LE/4069LE WITH LEVELING JACKS 200
FIGURE 5-7. CONSOLE BOX ASSEMBLY - M3369/M4069 2WD NO LEVELING JACKS 202
FIGURE 5-8. CONSOLE BOX ASSEMBLY - M3369/M4069 2WD WITH LEVELING JACKS 204
FIGURE 5-9. CONSOLE BOX ASSEMBLY - M3369/M4069 4WD NO LEVELING JACKS 206
FIGURE 5-10. CONSOLE BOX ASSEMBLY - M3369/M4069 4WD WITH LEVELING JACKS 208
FIGURE 5-11. CONSOLE BOX ASSEMBLY - M3369/M4069 2WD NO LEVELING JACKS AND WITH OPTIONAL SPOT LIGHT 210
FIGURE 5-12. DRIVE/STEER CONTROLLER ASSEMBLY 212

SECTION 6 - CYLINDER 215

FIGURE 6-1. AXLE LOCKOUT CYLINDER ASSEMBLY 216
FIGURE 6-2. LEVELING JACK CYLINDER ASSEMBLY 218
FIGURE 6-3. LIFT CYLINDER ASSEMBLY - 3369LE/M3369 220
FIGURE 6-4. LIFT (LOWER) CYLINDER ASSEMBLY - 4069LE/M4069 222
FIGURE 6-5. LIFT (UPPER) CYLINDER ASSEMBLY - 4069LE/M4069 224
FIGURE 6-6. STEER CYLINDER ASSEMBLY 226

SECTION 7 - HYDRAULIC 229

FIGURE 7-1. HYDRAULIC DIAGRAM - 4WD 230
FIGURE 7-2. HYDRAULIC DIAGRAM - LEVELING JACKS (OPTIONAL) 232
FIGURE 7-3. HYDRAULIC DIAGRAM - LIFT CYLINDER - 3369LE/M3369 WITH LSS 234

MidWestTech | JLG 3369LE, 4069LE, M3369, M4069 Scissor Lift Parts Manual | Publicatio... Order the manual at mid-west-tech.com >

FIGURE 7-4. HYDRAULIC DIAGRAM - LIFT CYLINDER - 4069LE/M4069 WITH LSS 236
FIGURE 7-5. HYDRAULIC DIAGRAM - STANDARD - 3369LE/M3369 WITH FIXED AXLE 238
FIGURE 7-6. HYDRAULIC DIAGRAM - STANDARD - 3369LE/M3369 WITH OSCILLATING AXLE (ALL SPECS EXCEPT CE SPEC) 240
FIGURE 7-7. HYDRAULIC DIAGRAM - STANDARD - 4069LE/M4069 WITH FIXED AXLE 242
FIGURE 7-8. HYDRAULIC DIAGRAM - STANDARD - 4069LE/M4069 WITH OSCILLATING AXLE (ALL SPECS EXCEPT CE SPEC) 244
FIGURE 7-9. HYDRAULIC DIAGRAM - STANDARD - 3369LE/M3369 WITH OSCILLATING AXLE (CE SPEC) 246
FIGURE 7-10. HYDRAULIC DIAGRAM - STANDARD - 4069LE/M4069 WITH OSCILLATING AXLE (CE SPEC) 250
FIGURE 7-11. HYDRAULIC DIAGRAM – TOW BAR 254

SECTION 8 - ELECTRICAL 257

FIGURE 8-1. AC TO PLATFORM INSTALLATION - 110V GFI (3369LE/M3369) 258
FIGURE 8-2. AC TO PLATFORM INSTALLATION - 110V GFI (4069LE/M4069) 260
FIGURE 8-3. AC TO PLATFORM INSTALLATION - 110V IEC YELLOW (CE SPEC ONLY) 262
FIGURE 8-4. AC TO PLATFORM INSTALLATION - 220V IEC BLUE (CE SPEC ONLY) 264
FIGURE 8-5. AC TO PLATFORM INSTALLATION - 220V AFSINT107 (CE SPEC ONLY) 266
FIGURE 8-6. AC TO PLATFORM INSTALLATION - 220V CEE7 SIDE GROUND (CE SPEC ONLY) 268
FIGURE 8-7. AC TO PLATFORM INSTALLATION - 220V CEE7 POST GROUND (CE SPEC ONLY) 270
FIGURE 8-8. ALARM HARNESS 272
FIGURE 8-9. BEACON LIGHT HARNESS 274
FIGURE 8-10. BREAKER BOX KIT WITH TWO BREAKERS - CE SPEC ONLY 276
FIGURE 8-11. BREAKER BOX KIT WITH THREE BREAKERS - CE SPEC ONLY 278
FIGURE 8-12. CHARGER CORD PLUG INSTALLATION - 110V IEC YELLOW PLUG (CE SPEC) 280
FIGURE 8-13. CHARGER CORD PLUG INSTALLATION - 220V IEC BLUE PLUG (CE SPEC) 282
FIGURE 8-14. CHARGER CORD PLUG INSTALLATION - 220V AFSINT 107 KEYED GROUND (CE SPEC) 284
FIGURE 8-15. CHARGER CORD PLUG INSTALLATION - 220V CEE7 POST GROUND (CE SPEC) 286
FIGURE 8-16. CHARGER CORD PLUG INSTALLATION - 220V CEE7 SIDE GROUND (CE SPEC) 288
FIGURE 8-17. FRONT WHEEL ASSIST (4WD) HARNESS 290
FIGURE 8-18. GENERATOR HARNESS - M3369/M4069 ONLY 292
FIGURE 8-19. GROUND CONTROL BOX HARNESS - 3369LE/4069LE 294
FIGURE 8-20. GROUND CONTROL BOX HARNESS - M3369/M4069 296
FIGURE 8-21. GROUND CONTROL BOX HARNESS (M4069 DRIVE AT FULL HEIGHT) 298
FIGURE 8-22. GROUND CONTROL BOX TO BULKHEAD HARNESS INSTALLATION - 3369LE/M3369 300
FIGURE 8-23. GROUND CONTROL BOX TO BULKHEAD HARNESS INSTALLATION - 4069LE/M4069 302
FIGURE 8-24. GROUND CONTROL BOX TO BULKHEAD HARNESS 304
FIGURE 8-25. LEVELING JACK HARNESS 306
FIGURE 8-26. LEVELING JACK N.C. HARNESS 308
FIGURE 8-27. LEVELING JACK N.O. HARNESS 310
FIGURE 8-28. LEVELING JACK VALVE HARNESS 312
FIGURE 8-29. LIFT DOWN HARNESS - LOWER 314
FIGURE 8-30. LIFT DOWN HARNESS - 3369LE/M3369 UPPER 316
FIGURE 8-31. LIFT DOWN HARNESS - 4069LE/M4069 UPPER 318
FIGURE 8-32. PLATFORM CABLE HARNESS - 3369LE/M3369 320
FIGURE 8-33. PLATFORM CABLE HARNESS - 4069LE/M4069 322
FIGURE 8-34. PLATFORM CONSOLE BOX HARNESS WITHOUT LEVELING JACKS 324
FIGURE 8-35. PLATFORM CONSOLE BOX HARNESS WITH LEVELING JACKS 326
FIGURE 8-36. RECEPTACLE BOX KIT - 110V GFI 328
FIGURE 8-37. RECEPTACLE BOX KIT - 110V IEC YELLOW (CE SPEC) 330
FIGURE 8-38. RECEPTACLE BOX KIT - 220V IEC BLUE (CE SPEC) 332
FIGURE 8-39. RECEPTACLE BOX KIT - 220V AFSINT 107 (CE SPEC) 334
FIGURE 8-40. RECEPTACLE BOX KIT - 220V CEE7 SIDE GROUND (CE SPEC) 336
FIGURE 8-41. RECEPTACLE BOX KIT - 220V CEE7 POST GROUND (CE SPEC) 338
FIGURE 8-42. VALVE HARNESS 340

SECTION 9 - DECALS 343

FIGURE 9-1. DECAL INSTALLATION - ANSI SPEC (ENGLISH) 344
FIGURE 9-2. DECAL INSTALLATION - AUSTRALIAN AND CE SPECS - 3369LE & 4069LE 346
FIGURE 9-3. DECAL INSTALLATION - AUSTRALIAN AND CE SPECS - M3369 & M4069 348
FIGURE 9-4. DECAL INSTALLATION - BRAZIL SPEC (DUAL LANGUAGE - PORTUGUESE/SPANISH) 350
FIGURE 9-5. DECAL INSTALLATION - CHINESE SPEC (DUAL LANGUAGE - ENGLISH/CHINESE) 352
FIGURE 9-6. DECAL INSTALLATION - CSA SPEC (DUAL LANGUAGE - ENGLISH/FRENCH) 354
FIGURE 9-7. DECAL INSTALLATION - JAPANESE SPEC (DUAL LANGUAGE - ENGLISH/JAPANESE) 356
FIGURE 9-8. DECAL INSTALLATION - KOREAN SPEC (DUAL LANGUAGE - ENGLISH/KOREAN) 358
FIGURE 9-9. DECAL INSTALLATION - LATIN AMERICAN SPEC (DUAL LANGUAGE - ENGLISH/SPANISH) 360

MidWestTech | JLG 3369LE, 4069LE, M3369, M4069 Scissor Lift Parts Manual | Publicatio... Order the manual at mid-west-tech.com >

FIGURE 1-15. DRIVE MOTOR ASSEMBLY - OPERATORS POSITION LH SIDE - 4WD FRONT

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
	1001228231	Ref	DRIVE MOTOR ASSEMBLY	A
1	70006744	1	Shaft	
2	See Note	1	Casting, Front (Note: Purchase Complete Motor)	
3	See Note	NSS	Seal, Face (Note: Use Item 500)	
4	70006745	1	Spacer	
5	70006746	1	Bearing, Front	
6	7022588	1	Bearing, Rear	
7	70006747	1	Washer	
8	7022589	1	Ring, Split	
9	See Note	NSS	Seal, Shaft (Note: Use Item 500)	
10	70006748	1	Plug, Zero-Leak	
12	See Note	NSS	Seal, Square (Note: Use Item 500)	
17	70006749	1	Retainer, Seal	
90	7023807	5	Stud, Wheel	
91	7023806	5	Lugnut	
100	70006750	1	CAM	
101	70006763	1	Block, Cylinder	
102	70006752	8	Piston	
103	70006753	8	Roller	
104	70006754	1	Disc	
105	70006755	4	Rollpin	
106	70006756	2	Circlip	
107	70006757	2	Ring, Retaining	
201	See Note	1	Housing, Rear (Note: Purchase Complete Motor)	
202	70006764	1	Ring, Distribution	
204	See Note	NSS	Seal, Nylon (Note: Use Item 500)	
205	See Note	NSS	Seal, Nylon (Note: Use Item 500)	
206	See Note	NSS	Seal, Nylon (Note: Use Item 500)	
208	70006759	1	Pin, Stop	
209	7023872	9	Spring	
216	70001091	6	Capscrew	
217	See Note	NSS	Seal, Square (Note: Use Item 500)	
220	70002759	1	Plug	
301	70006760	1	Sensor, Speed	
303	70006761	2	Capscrew	
391	See Note	NSS	Plate, Rear Cover	
392	70002264	4	Capscrew	
500	70006765	1	Seal Kit (Includes Items 3, 9, 12, 204-206 & 217)	

MidWestTech | JLG 3369LE, 4069LE, M3369, M4069 Scissor Lift Parts Manual | Publicatio... Order the manual at mid-west-tech.com >

FIGURE 6-4. LIFT (LOWER) CYLINDER ASSEMBLY - 4069LE/M4069

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
	1684120	Ref	LIFT (LOWER) CYLINDER ASSEMBLY	C
1	See Note	NSS	Seal (Note: Use Item 50)	
2	See Note	NSS	O-Ring (Note: Use Item 50)	
3	See Note	NSS	Ring, Back-up (Note: Use Item 50)	
4	See Note	NSS	O-Ring (Note: Use Item 50)	
5	See Note	NSS	O-Ring (Note: Use Item 50)	
6	See Note	NSS	Seal (Note: Use Item 50)	
7	See Note	NSS	Wiper (Note: Use Item 50)	
8	See Note	NSS	Ring, Wear (Note: Use Item 50)	
9	See Note	NSS	Ring, Wear (Note: Use Item 50)	
11	7003226	1	Locknut	
15	7019889	4	Bushing	
16	7019888	1	Barrel	
17	7023505	1	Rod	
18	7019886	1	Head	
19	7024101	1	Piston	
20	7023509	1	Spacer	
50	7024103	1	Seal Kit (Includes Items 1-9)	

MidWestTech | JLG 3369LE, 4069LE, M3369, M4069 Scissor Lift Parts Manual | Publicatio... Order the manual at mid-west-tech.com >

FIGURE 9-10. DECAL INSTALLATION - OPTIONS

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
	1283217	Ref	DECAL INSTALLATION - REFERENCE CHART (ALL SPECS EXCEPT AUSTRALIAN AND CE SPECS)	S
	1283249	Ref	DECAL INSTALLATION - REFERENCE CHART (AUSTRALIAN AND CE SPECS ONLY)	O
	1001249142	Ref	DECAL INSTALLATION - OPTIONS	
3	1704998	2	Decal - All Wheel Drive (4WD Only)	
20	1701214	8	Decal - Outrigger Warning (ANSI and ANSI Export Specs) (English)	
20	1701785	AR	Decal - Outrigger Warning (Australian and CE Specs)	
20	1704698	8	Decal - Outrigger Warning (Brazil Specs) (Portuguese/Spanish)	
20	1704690	8	Decal - Outrigger Warning (CSA Specs) (English/French)	
20	1704536	8	Decal - Outrigger Warning (Japanese Specs) (English/Japanese)	
20	1704697	8	Decal - Outrigger Warning (Latin America Specs) (English/Spanish)	
25	0251642	Ref	Corner Stripes Installation	D
25	4420051	4 ft/1.2m	Tape, Safety	
28	1704174	1	Decal - Biodegradable Oil (Optional - All Specs except German Spec)	
28	1704175	1	Decal - Biodegradable Hydraulic Fluid (German Spec Only)	
29	1001231801	1	Decal - Warning Prop 65 (M3369 & M4069 ANSI Spec Only)	
30	1001125438	3	Decal - Capacity 1000LBS/454KG (3369LE/M3369 All Specs except Australian and CE Specs)	
30	1704530	1	Decal - Capacity 450KG (3369LE/M3369 Australian and CE Specs)	
30	1706491	1	Decal - Capacity 450KG (CE Machines with 60KPH Wind Specs)	
30	1001125437	3	Decal - Capacity 800LBS/363KG (4069LE/M4069 All Specs except Australian and CE Specs)	
30	1704580	1	Decal - Capacity 360KG (Australian and CE Specs)	
43	1704783	2	Decal - 3369LE	
43	1704784	2	Decal - 4069LE	
43	1704908	2	Decal - M3369	
43	1704909	2	Decal - M4069	
44	1703490	4	Decal - Max Tire Load (3369LE & M3369)	
44	1704953	4	Decal - Max Tire Load (4069LE & M4069)	
52	1704955	4	Decal - Max Jack Load (3369LE/M3369)	
52	1704954	4	Decal - Max Jack Load (4069LE/M4069)	
60	1704286	1	Decal - Generator (M3369 & M4069 ANSI and ANSI Export Specs Only)	
60	1001093687	1	Decal - Generator (M3369 & M4069 ANSI Export, Australian, CE and Japanese Specs Only) (Pictogram)	
60	1704371	1	Decal - Generator (M3369 & M4069 ANSI Export Specs Only) (Dual Language English/ Spanish)	
60	1704373	1	Decal - Generator (M3369 & M4069 Brazil Spec Only) (Portuguese/Spanish)	
60	1704368	1	Decal - Generator (M3369 & M4069 CSA Specs Only) (Dual Language English/French)	
61	1701505	2	Decal - Diesel Fuel	
110	1001166308	Ref	JLG Decals Installation (All Specs except CE Specs) (Not Shown)	A
110A	1702773	4	Decal - JLG	
110B	1704885	3	Decal - Website	
110C	1705781	2	Decal - JLG	
136	1001108923	1	Decal - Fuel Spec (M3369/M4069 ANSI and CSA Specs Only)	

MidWestTech | JLG 3369LE, 4069LE, M3369, M4069 Scissor Lift Parts Manual | Publicatio... Order the manual at mid-west-tech.com >