Illustrated Parts Manual

Models
1532R
1932R

P/N
3121750

February 7, 2020 - Rev M

ANSI

CE

AS/NZS

An Oshkosh Corporation Company

MidWestTech | JLG 1532R, 1932R Scissor Lift Parts Manual | Publication 3121750

Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

SECTION 1 - FRAME 11

FIGURE 1-1. STEER INSTALLATION 12
FIGURE 1-2. DRIVE/BRAKE INSTALLATION 14
FIGURE 1-3. DRIVE MOTOR ASSEMBLY 16
FIGURE 1-4. TIRE AND WHEEL INSTALLATION 18
FIGURE 1-5. POTHOLE PROTECTION SYSTEM INSTALLATION 20
FIGURE 1-6. TILT SENSOR INSTALLATION 22
FIGURE 1-7. BATTERY CHARGER INSTALLATION - DELTA-Q (LOCALLY SUPPLIED PLUG) 24
FIGURE 1-8. BATTERY CHARGER INSTALLATION - DELTA-Q (110V PLUG) 26
FIGURE 1-9. BATTERY CHARGER INSTALLATION - DELTA-Q (KOREAN PLUG) 28
FIGURE 1-10. BATTERY CHARGER INSTALLATION - EAGLE PERFORMANCE (110V PLUG) 30
FIGURE 1-11. BATTERY CHARGER INSTALLATION - GREEN POWER (LOCALLY SUPPLIED PLUG) 32
FIGURE 1-12. BATTERY CHARGER INSTALLATION - GREEN POWER (220V PLUG) 34
FIGURE 1-13. STROBE LIGHT INSTALLATION - SINGLE ECCO BRAND (AMBER) (WITHOUT GUARD) 36
FIGURE 1-14. STROBE LIGHT INSTALLATION - SINGLE SAMMOON BRAND (WITHOUT GUARD) 38
FIGURE 1-15. STROBE LIGHT INSTALLATION - SINGLE ECCO BRAND (AMBER) (WITH GUARD) 40
FIGURE 1-16. STROBE LIGHT INSTALLATION - SINGLE SAMMOON BRAND (WITH GUARD) 42
FIGURE 1-17. STROBE LIGHT INSTALLATION - DUAL ECCO BRAND (AMBER) (WITHOUT GUARD) 44
FIGURE 1-18. STROBE LIGHT INSTALLATION - DUAL SAMMOON BRAND (WITHOUT GUARD) 46
FIGURE 1-19. STROBE LIGHT INSTALLATION - DUAL ECCO BRAND (AMBER) (WITH GUARD) 48
FIGURE 1-20. STROBE LIGHT INSTALLATION - DUAL SAMMOON BRAND (WITH GUARD) 50
FIGURE 1-21. STROBE LIGHT INSTALLATION – SINGLE SANMAK BRAND (AMBER) (WITHOUT GUARD) 52
FIGURE 1-22. STROBE LIGHT INSTALLATION – SINGLE SANMAK BRAND (AMBER) (WITH GUARD) 54
FIGURE 1-23. STROBE LIGHT INSTALLATION – DAUL SANMAK BRAND (AMBER) (WITHOUT GUARD) 56
FIGURE 1-24. STROBE LIGHT INSTALLATION – DAUL SANMAK BRAND (AMBER) (WITH GUARD) 58
FIGURE 1-25. ALARM INSTALLATION (AMBIENT/WHITE NOISE) (OPTIONAL) 60
FIGURE 1-26. LADDER INSTALLATION 62
FIGURE 1-27. FRAME COVERS INSTALLATION - DELTA-Q AND GREEN POWER BATTERY CHARGERS (ANSI, ANSI EXPORT, CSA, JAPANESE AND KOREA SPECS) 64
FIGURE 1-28. FRAME COVERS INSTALLATION - DELTA-Q AND GREEN POWER BATTERY CHARGERS (AUSTRALIAN, CHINA AND CE SPECS) 66
FIGURE 1-29. FRAME COVERS INSTALLATION - EAGLE PERFORMANCE BATTERY CHARGERS (ANSI AND CSA SPECS) 68

SECTION 2 - GROUND CONTROLS 71

FIGURE 2-1. HYDRAULIC COMPONENTS INSTALLATION 72
FIGURE 2-2. VALVE ASSEMBLY 74
FIGURE 2-3. ELECTRICAL COMPONENTS INSTALLATION (WITHOUT LSS) 76
FIGURE 2-4. ELECTRICAL COMPONENTS INSTALLATION (WITH LSS) 78
FIGURE 2-5. MDI INSTALLATION 80
FIGURE 2-6. BATTERIES INSTALLATION - STANDARD BATTERIES WITHOUT DISCONNECT 82
FIGURE 2-7. BATTERIES INSTALLATION - STANDARD BATTERIES WITH DISCONNECT 84
FIGURE 2-8. BATTERIES INSTALLATION - AGM BATTERIES WITHOUT DISCONNECT (MEXICO BUILT MACHINES) 86
FIGURE 2-9. BATTERIES INSTALLATION - AGM BATTERIES WITH DISCONNECT (MEXICO BUILT MACHINES) 88
FIGURE 2-10. BATTERIES INSTALLATION - AGM EVCG BATTERIES WITHOUT DISCONNECT (CHINA BUILT MACHINES) 90
FIGURE 2-11. BATTERIES INSTALLATION - AGM EVCG BATTERIES WITH DISCONNECT (CHINA BUILT MACHINES) 92
FIGURE 2-12. BATTERIES INSTALLATION - TROJAN BATTERIES WITHOUT DISCONNECT (CHINA BUILT MACHINES) 94
FIGURE 2-13. BATTERIES INSTALLATION - TROJAN BATTERIES WITH DISCONNECT (CHINA BUILT MACHINES) 96
FIGURE 2-14. INVERTER INSTALLATION (OPTIONAL) 98
FIGURE 2-15. DOORS INSTALLATION (1532R) 100
FIGURE 2-16. DOORS INSTALLATION (1932R) 102

SECTION 3 - SCISSORS ARMS 105

FIGURE 3-1. SCISSORS ARMS INSTALLATION - 1532R WITHOUT LSS 106
FIGURE 3-2. SCISSORS ARMS INSTALLATION - 1532R WITH LSS 110
FIGURE 3-3. SCISSORS ARMS INSTALLATION - 1532R WITH LSS (KOREA SPECS) 114
FIGURE 3-4. SCISSORS ARMS KIT - 1532R 118
FIGURE 3-5. SCISSORS ARMS KIT - 1532R (KOREA SPECS) 120
FIGURE 3-6. SCISSORS ARMS INSTALLATION - 1932R WITHOUT LSS 122
FIGURE 3-7. SCISSORS ARMS INSTALLATION - 1932R WITH LSS 126
FIGURE 3-8. SCISSORS ARMS KIT - 1932R 130
FIGURE 3-9. ARM GUARD INSTALLATION 132

MidWestTech | JLG 1532R, 1932R Scissor Lift Parts Manual | Publication 3121750 Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

SECTION 4 - PLATFORM 135

FIGURE 4-1. PLATFORM INSTALLATION - 1532R 136
FIGURE 4-2. PLATFORM INSTALLATION - 1532R (KOREA SPECS) 138
FIGURE 4-3. PLATFORM INSTALLATION - 1932R 140
FIGURE 4-4. PLATFORM EXTENSION INSTALLATION 142
FIGURE 4-5. RAILS INSTALLATION - FIXED RAILS/CHAIN ENTRY (INSIDE TUBE SLIDER) 144
FIGURE 4-6. RAILS INSTALLATION - FIXED RAILS/GATE ENTRY (INSIDE TUBE SLIDER) 146
FIGURE 4-7. RAIL KIT - FIXED RAILS (INSIDE TUBE SLIDER) 148
FIGURE 4-8. RAILS INSTALLATION - FIXED RAILS/CHAIN ENTRY (OUTSIDE TUBE SLIDER) 150
FIGURE 4-9. RAILS INSTALLATION - FIXED RAILS/GATE ENTRY (OUTSIDE TUBE SLIDER) 152
FIGURE 4-10. RAILS INSTALLATION - FOLD-DOWN RAILS/GATE ENTRY (INSIDE TUBE SLIDER) 154
FIGURE 4-11. RAIL KIT - FOLD-DOWN RAILS (INSIDE TUBE SLIDER) 156
FIGURE 4-12. RAILS INSTALLATION - FOLD-DOWN RAILS/GATE ENTRY (OUTSIDE TUBE SLIDER) 158
FIGURE 4-13. HANDLE EXTENSION INSTALLATION (OPTIONAL) 160
FIGURE 4-14. PLATFORM CONTROL BOX INSTALLATION (ANSI, ANSI EXPORT AND JAPAN SPECS) (Prior to SN B200038482, Prior to SN M200015692) 162
FIGURE 4-15. PLATFORM CONTROL BOX INSTALLATION (AUSTRALIAN, CE, CHINA AND CSA SPECS) (Prior to SN B200038482, Prior to SN M200015692) 164
FIGURE 4-16. PLATFORM CONTROL BOX ASSEMBLY (ANSI, ANSI EXPORT AND JAPAN SPECS) (Prior to SN B200038482, SN M200000100 to Present) 166
FIGURE 4-17. PLATFORM CONTROL BOX ASSEMBLY (AUSTRALIAN, CE, CHINA AND CSA SPECS) (Prior to SN B200038482, SN M200000100 to Present) 168
FIGURE 4-18. PLATFORM CONTROL BOX INSTALLATION (ANSI, ANSI EXPORT, CSA AND JAPANESE SPECS) (SN B200038482 to Present, SN M200015692 to Present) 170
FIGURE 4-19. PLATFORM CONTROL BOX INSTALLATION (AUSTRALIAN, CE AND CHINESE SPECS) (SN B200038482 through B200054176) 172
FIGURE 4-20. PLATFORM CONTROL BOX INSTALLATION (AUSTRALIAN, CE AND CHINESE SPECS) (SN B200054177 to Present) 174
FIGURE 4-21. DRIVE/STEER CONTROLLER ASSEMBLY (1932R AUSTRALIAN & CE SPECS) (SN B200038482 to Present, SN M200015692 to Present) 176
FIGURE 4-22. GATE LATCH INSTALLATION - OPTIONAL (ALL SPECS EXCEPT KOREAN SPECS) 178
FIGURE 4-23. GATE LATCH AND FOOTSWITCH INSTALLATION (KOREAN SPECS) 180
FIGURE 4-24. OVERHEAD PROTECTION INSTALLATION (KOREAN SPECS) 182
FIGURE 4-25. PANEL CARRIER INSTALLATION (1932R AUSTRALIAN & CE SPECS) 184
FIGURE 4-26. PIPE RACK INSTALLATION (1932R AUSTRALIAN & CE SPECS) 186

SECTION 5 - CYLINDER 189

FIGURE 5-1. LIFT CYLINDER ASSEMBLY 190
FIGURE 5-2. STEER CYLINDER ASSEMBLY 192
FIGURE 5-3. STEER CYLINDER ASSEMBLY 194

SECTION 6 - HYDRAULIC 197

FIGURE 6-1. HYDRAULIC DIAGRAM 198

SECTION 7 - ELECTRICAL 201

FIGURE 7-1. AC BOX AT PLATFORM INSTALLATION - 110V GFI (ANSI, ANSI EXPORT, CHINA AND JAPANESE SPECS) 202
FIGURE 7-2. AC BOX AT PLATFORM INSTALLATION - 110V IEC YELLOW (CE SPECS) 204
FIGURE 7-3. AC BOX AT PLATFORM INSTALLATION - 220V IEC BLUE (CE SPECS) 206
FIGURE 7-4. AC BOX AT PLATFORM INSTALLATION - 220V CEE7 POST GROUND (CE SPECS) 208
FIGURE 7-5. AC BOX AT PLATFORM INSTALLATION - 220V CEE7 SIDE GROUND (CE SPECS) 210
FIGURE 7-6. AC BOX AT PLATFORM INSTALLATION - 220V AFSINT 107 (CE SPECS) 212
FIGURE 7-7. AC BOX AT PLATFORM INSTALLATION - 220V CHINA PLUG (CHINA SPECS) 214
FIGURE 7-8. AC BOX AT PLATFORM INSTALLATION - 220V LOCALLY SUPPLIED COMPONENTS (ALL SPECS) 216
FIGURE 7-9. BREAKER BOX KIT WITH 1 DOUBLE BREAKER 218
FIGURE 7-10. BREAKER BOX KIT WITH 3 BREAKERS 220
FIGURE 7-11. CHASSIS HARNESS (WITHOUT LSS) 222
FIGURE 7-12. CHASSIS HARNESS (WITH LSS) 226
FIGURE 7-13. GROUND TO PLATFORM CABLE INSTALLATION - 1532R WITHOUT PLATFORM COIL CABLE 230
FIGURE 7-14. GROUND TO PLATFORM CABLE INSTALLATION - 1532R WITH PLATFORM COIL CABLE 232
FIGURE 7-15. GROUND TO PLATFORM CABLE INSTALLATION - 1532R WITHOUT PLATFORM COIL CABLE AND WITH FOOTSWITCH 234
FIGURE 7-16. GROUND TO PLATFORM CABLE INSTALLATION - 1532R WITH PLATFORM COIL CABLE AND FOOTSWITCH 236

MidWestTech | JLG 1532R, 1932R Scissor Lift Parts Manual | Publication 3121750 Order the manual at mid-west-tech.com >

FIGURE 7-17. GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITHOUT PLATFORM COIL CABLE (ALL SPECS EXCEPT AUSTRALIAN SPECS) 238
FIGURE 7-18. GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITHOUT PLATFORM COIL CABLE (AUSTRALIAN SPECS) 240
FIGURE 7-19. GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITH PLATFORM COIL CABLE (ALL SPECS EXCEPT AUSTRALIAN SPECS) 242
FIGURE 7-20. GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITH PLATFORM COIL CABLE (AUSTRALIAN SPECS) 244
FIGURE 7-21. GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITHOUT PLATFORM COIL CABLE AND WITH FOOTSWITCH 246
FIGURE 7-22. GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITH PLATFORM COIL CABLE AND FOOTSWITCH 248
FIGURE 7-23. LIFT DOWN HARNESS - WITHOUT LSS 250
FIGURE 7-24. LIFT DOWN HARNESS - WITH LSS (Prior to SN B200038482, Prior to SN M200007595) 252
FIGURE 7-25. LIFT DOWN HARNESS - WITH LSS (SN B200038482 to Present, SN M200007595 to Present) 254
FIGURE 7-26. PLATFORM BOX HARNESS (Prior to SN B200038482, SN M200000100 to Present) 256
FIGURE 7-27. PLATFORM BOX HARNESS (SN B200038482 to Present) 258
FIGURE 7-28. RECEPTACLE BOX KIT - 110V GFI 260
FIGURE 7-29. RECEPTACLE BOX KIT - 110V IEC YELLOW (CE SPEC) 262
FIGURE 7-30. RECEPTACLE BOX KIT - 220V IEC BLUE (CE SPEC) 264
FIGURE 7-31. RECEPTACLE BOX KIT - 220V CEE7 POST GROUND (CE SPEC) 266
FIGURE 7-32. RECEPTACLE BOX KIT - 220V CEE7 SIDE GROUND (CE SPEC) 268
FIGURE 7-33. RECEPTACLE BOX KIT - 220V AFSINT 107 (CE SPEC) 270

SECTION 8 - DECALS 273

FIGURE 8-1. DECAL INSTALLATION (ANSI SPEC) 274
FIGURE 8-2. DECAL INSTALLATION (AUSTRALIAN SPECS) 276
FIGURE 8-3. DECAL INSTALLATION (BRAZIL SPECS) 278
FIGURE 8-4. DECAL INSTALLATION (CE SPECS) 280
FIGURE 8-5. DECAL INSTALLATION (CHINA/ANSI EXPORT SPECS) 282
FIGURE 8-6. DECAL INSTALLATION (CHINA/GB SPECS) 284
FIGURE 8-7. DECAL INSTALLATION (CSA SPECS) 286
FIGURE 8-8. DECAL INSTALLATION (KOREAN SPECS) 288
FIGURE 8-9. DECAL INSTALLATION (LATIN AMERICAN SPECS) 290
FIGURE 8-10. DECAL INSTALLATION - OPTIONS 292

SECTION 9 - RECOMMENDED SERVICE PARTS STOCK 295

FIGURE 9-1. RECOMMENDED SERVICE PARTS STOCK 296

SECTION 10 - SPECIAL OPTIONS 297

FIGURE 10-1. SPECIAL OPTIONS 298

PART NUMBER INDEX 301

MidWestTech | JLG 1532R, 1932R Scissor Lift Parts Manual | Publication 3121750 Order the manual at mid-west-tech.com >

FIGURE 4-16. PLATFORM CONTROL BOX ASSEMBLY (ANSI, ANSI EXPORT AND JAPAN SPECS) (Prior to SN B200038482, SN M200000100 to Present)

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
	1001091153	Ref	PLATFORM CONTROL BOX ASSEMBLY (ANSI, ANSI EXPORT AND JAPAN SPECS) **(Prior to SN B200038482, SN M200000100 to Present)**	L
1	0140011	1	Alarm	
2	1600439	1	PC Board	
3	1380156	1	E-Clip	
4	1600402	1	Drive/Steer Controller Assembly (See Separate Breakdown in this Section)	
5	1671098	1	Latch	
6	1001091272	1	Decal - Icon	
7	1705676	1	Decal - Emergency Stop Ring	
8	2560179	1	Handle, Latch	
9	1001091277	1	Housing, Joystick (Lower)	
10	1001091278	1	Mount, Joystick	
11	1001091279	1	Housing, Module Mounting (Lower)	
12	1001091280	1	Housing, Module Mounting (Upper)	
13	3300473	4	Nut M6	
14	3340968	2	Button (Includes Black Button Only)	
15	3380475	2	Panel, Side	
16	1001091283	1	Plate, Decal	
17	3900333	4	Screw M6 x 190	
18	4160203	1	Spring, Compression	
19	4191306	5	Screw M3.5 x 12	
20	4191407	8	Screw M4 x 16	
21	4191409	6	Screw M4 x 25	
22	4360475	1	Switch, Emergency Stop	
22	7020175	1	Cap	
22	7020176	1	Block, Contact	
23	4360538	2	Strip, Switch and Membrane	
24	4360539	1	Switch, Toggle	
25	4568738	1	Tube, Spacer	
26	4922870	1	Harness, Platform Box (Not Shown - See Separate Breakdown in ELECTRICAL SECTION)	
27	1703819	1	Decal - Directional Arrow	
28	1001091396	6	Screw M3.5 x 12	
29	See Note	NSS	Decal - Control Module (Not Shown - Located on Bottom of Box) (Note: Not Available for Purchase)	
50	1001091968	1	Decal Kit (Includes Items 6, 16 & 28) (Note: Two Item 6's are included in the kit - 1 for All Specs except CE/Australian Specs and 1 for CE/Australian Specs. Use decal required for applicable spec. Dispose of the decal not used)	A
51	1001091393	1	Decal and Housing Kit (Includes Items 6, 12, 16 & 28) (Note: Two Item 6's are included in the kit - 1 for All Specs except CE/Australian Specs and 1 for CE/Australian Specs. Use decal required for applicable spec. Dispose of the decal not used)	C
52	1001091965	1	Decal, Housing and PC Board Kit (Includes Items 2, 6, 12, 14, 16, 19, 23, 24 & 28) (Note: Two Item 6's are included in the kit - 1 for All Specs except CE/Australian Specs and 1 for CE/Australian Specs. Use decal required for applicable spec. Dispose of the decal not used)	C

MidWestTech | JLG 1532R, 1932R Scissor Lift Parts Manual | Publication 3121750 Order the manual at mid-west-tech.com >

FIGURE 5-1. LIFT CYLINDER ASSEMBLY

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
	1001198935	Ref	LIFT CYLINDER ASSEMBLY	C
1	70005790	1	Barrel	
2	70005791	1	Rod	
3	70005792	1	Head	
4	See Note	1	Wiper (Note: Use Item 23)	
5	70002410	1	Ring, Retaining	
6	See Note	1	Seal, Rod (Note: Use Item 23)	
7	See Note	1	Ring, Back-up (Note: Use Item 23)	
8	70005793	1	Spacer	
9	See Note	1	O-Ring (Note: Use Item 23)	
10	See Note	1	Ring, Back-up (Note: Use Item 23)	
11	See Note	1	O-Ring (Note: Use Item 23)	
12	70005794	1	Piston	
13	See Note	1	Seal, Piston (Note: Use Item 23)	
14	See Note	1	Ring, Wear (Note: Use Item 23)	
15	See Note	1	O-Ring (Note: Use Item 23)	
16	70005796	1	Nut	
17	0962292	4	Bearing	
18	70004233	1	Valve, Manual Descent	
19	70004232	1	Valve, Check	
20	70004231	1	Orifice	
21	70023370	4	Plug	
22	70005795	2	Fitting, Straight JIC	
23	70005797	1	Seal Kit - Cylinder (Includes Items 4, 6, 7, 9-11 & 13-15)	

MidWestTech | JLG 1532R, 1932R Scissor Lift Parts Manual | Publication 3121750 Order the manual at mid-west-tech.com >

FIGURE 7-21. GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITHOUT PLATFORM COIL CABLE AND WITH FOOTSWITCH

ITEM	PART NUMBER	QTY	DESCRIPTION	REV
	1001201129	Ref	GROUND TO PLATFORM CABLE INSTALLATION - 1932R WITHOUT PLATFORM COIL CABLE AND WITH FOOTSWITCH	E
		Ref	Note: Only Available on Japanese Specs.	
1	4240017	AR	Tie-Strap (Not Shown)	
3	1001200811	1	Cable Assembly - Ground to Platform	
3	4460894	1	Plug, Male - 6 Position (To Platform Harness Item 4)	
3	4460465	4	Socket, Female	
3	4460944	2	Socket, Female	
3	4460899	1	Receptacle, Female - 6 Position (To Chassis Harness)	
3	4460464	4	Pin, Male	
3	4460943	2	Pin, Male	
4	1001200814	NLA	Platform Harness (Use p/n 1001223263) **(Prior to SN B200038482, Prior to SN M200007595)**	
4	1001223263	1	Platform Harness **(SN B200038482 to Present, SN M200007595 to Present)**	
4	4460899	1	Receptacle, Female - 6 Position (To Item 3)	
4	4460464	4	Pin, Male	
4	4460943	2	Pin, Male	
4	4460754	1	Connector - 14 Position (To Console Box)	
4	4460465	8	Socket, Female	
4	4460944	2	Socket, Female	
4	4460466	4	Plug, Terminal	
4	4460891	1	Plug, Male - 2 Position (To Footswitch)	
4	4460465	2	Socket, Female	
4	4460897	1	Receptacle, Female - 2 Position (Footswitch Jumper)	
4	4460464	2	Pin, Male	
4	4460539	1	Plug, Male - 3 Position (To Overhead Switches)	
4	4460465	2	Socket, Female	
4	4460466	1	Plug, Terminal	

MidWestTech | JLG 1532R, 1932R Scissor Lift Parts Manual | Publication 3121750 Order the manual at mid-west-tech.com >