A TEREX BRAND

Parts Manual

Serial Number Range

Z-60/34

to SN 1090 to 4000

Part No. 65440

Rev E2

November 2018

MidWestTech | Terex Genie Z-60/34 Articulated Boom Lift Parts Manual | Publication 65440

Order the manual at mid-west-tech.com >

Table of Contents

This manual is updated frequently. If you have a printed manual, you can keep it up to date by downloading new figures from the Genie website at www.genielift.com. For the most up-to-date parts information, visit the Parts Lookup System on the Genie website at www.genielift.com.

How to Read Your Serial Number....3
Parts Stocking List....7
How to Order Parts....8
Service Parts Fax Order Form....9

Electronic Version

Click on any page number to view the figure.

100 Decals
101.1 Decals....10

200 2WD Drive Chassis Components
201.1 2WD Steer Axle Linkage, Non-oscillating Models....12
202.1 2WD Steer Axle Linkage, Oscillating Models....14
203.1 2WD Steer Axle - Wheels and Hubs....16
204.1 2WD Steer Manifold and Steer/Oscillating Manifold....18
205.1 2WD Drive Manifold....20
206.1 2WD Non-steer Axle....22
207.1 2WD Hydraulic Hoses and Fittings - Non Oscillating Axle....24
208.1 2WD Hydraulic Hoses and Fitting - Oscillating Models....28

300 4WD Drive Chassis Components
301.1 4WD Steer Axle Linkage....32
302.1 4WD Steer Axle Linkage - Wheels and Hubs....34
303.1 4WD Steer/Oscillating Manifold....36
304.1 4WD Drive Manifold....38
305.1 4WD Non-steer Axle....40
306.1 4WD Hydraulic Hoses and Fittings - Oscillating Axle....42

400 Engine Components
401.1 Ford LRG-425 EFI Engine - View 1....46
402.1 Ford LRG-425 EFI Engine - View 2....48
403.1 Ford LRG-425 EFI Engine - View 3....50
404.1 Deutz F4L 1011F Diesel Engine - View 1....52
405.1 Deutz F4L 1011F Diesel Engine - View 2....54
406.1 Deutz F4L 1011F Diesel Engine - View 3....56

500 Turntable Components
501.1 Hydraulic and Fuel Tanks - Ford Models (with plastic fuel tank)....58
502.1 Hydraulic and Fuel Tanks - Ford Models (with metal fuel tank)....60
503.1 Hydraulic and Fuel Tanks - Deutz Models (with plastic fuel tank)....62
504.1 Hydraulic and Fuel Tank Deutz Models (with metal fuel tank)....64
505.1 Function Manifold and Auxiliary Power Unit Installation....66
506.1 Function Manifold....68
507.1 Turntable Rotator and Rotary Couplers....72
508.1 Ground Controls - View 1....76
509.1 Ground Controls - View 2....78
510.1 Turntable Covers....80
511.1 Hydraulic Hoses and Fittings - Turntable Components....82

600 Boom Components
601.1 Secondary Boom - View 1....86
602.1 Secondary Boom - View 2....88
603.1 Upper Mid-pivot....90
604.1 Upper Mid-pivot and Primary Boom Rests....92
605.1 Primary and Extension Booms....94
606.1 Cable Track....96
607.1 Jib Boom and Platform Rotator....98
608.1 Hydraulic Hoses and Fittings - Boom Components..102

700 Platform Components
701.1 Platform Installation - View 1....104
702.1 Platform Installation - View 2....106
703.1 Platform Controls - View 1....108
704.1 Platform Controls - View 2....110
705.1 Joystick Controller - Drive/Steer Functions....112
706.1 Joystick Controller - Secondary Boom Functions, Single Axis....114
707.1 Joystick Controller - Primary Boom and Turntable Rotate Functions....116

800 Accessories
801.1 Alarm and Beacon Package....118
802.1 Platform Options....120
803.1 Airline to Platform....122
804.1 Generator and Spare LPG Tank....124
805.1 Hoses and Fittings - Generator Option....126
806.1 Cold Start Package - Ford and Deutz Engines....128
807.1 Hostile Environment Package, Bellows and Cylinders....130
808.1 Hostile Environment Package - View 2....132

MidWestTech | Terex Genie Z-60/34 Articulated Boom Lift Parts Manual | Publication 65440 Order the manual at mid-west-tech.com >

Item	Part No.	Description	Qty.

Footnotes

1: Hose End - Female, Swivel, 45°, ORFS (Parker No. 1J743-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 451TC-6)

2: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 381-6)

3: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 481-6)

4: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 451TC-6)

5: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 451TC-6)

6: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-12) and Hose, 3/4 inch (Parker No. 481-12)

7: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J971-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 1/2 inch (Parker No. 481-8)

8: Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 1/2 inch (Parker No. 481-8)

9: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-12-8), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8) and Hose, 1/2 inch (Parker No. 451TC-8)

10: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J971-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 3/4 inch (Parker No. 772-12)

Item	Part No.	Description	Qty.

11: Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 3/4 inch (Parker No. 772-12)

12: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6-4), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4) and Hose, 1/4 inch (Parker No. 451TC-4)

13: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8) and Hose, 1/2 inch (Parker No. 451TC-8)

14: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6-4), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-4) and Hose, 1/4 inch (Parker No. 451TC-4)

15: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4) and Hose, 1/4 inch (Parker No. 451TC-4)

MidWestTech | Terex Genie Z-60/34 Articulated Boom Lift Parts Manual | Publication 65440 Order the manual at mid-west-tech.com >

Item	Part No.	Description	Qty.

Footnotes

1: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8) and Hose, 1/2 inch (Parker No. 481-8)

2: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J971-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 3/4 inch (Parker No. 772-12)

3: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8) and Hose, 1/2 inch (Parker No. 451TC-8)

4: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 481-6)

5: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 451TC-6)

6: Hose End - Female, Swivel, 45°, ORFS (Parker No. 1J743-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 451TC-6)

7: Hose End - Female, Swivel, 90°, Long, ORFS (Parker No 1J143-8), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8) and Hose, 1/2 inch (Parker No. 481-8)

8: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 3/8 inch (Parker No. 381-6)

9: V, Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J971-12) and Hose, 3/4 inch (Parker No. 772-12)

10: Hose End - Female, Swivel, 90°, Long, ORFS (Parker No 1J143-8), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8) and Hose, 1/2 inch (Parker No. 481-8)

11: Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 3/4 inch (Parker No. 481-12)

12: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-12), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8) and Hose, 1/2 inch (Parker No. 451TC-8)

13: V, Hose End - Female, Swivel, 45°, ORFS (Parker No. 1J743-12-8) and Hose, 3/4 inch (Parker No. 772-12)

14: Hose End - Female, Swivel, 90°, Long, ORFS (Parker No 1J143-8), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8) and Hose, 1/2 inch (Parker No. 451TC-8)

15: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6), Hose End - Female,Swivel,90°, ORFS (Parker No. 1J943-6-4) and Hose, 1/4 inch (Parker No. 451TC-4)

16: V, Hose End - Female, Swivel, (Parker No. 1JC71-12) and Hose, 3/4 inch (Parker No. 772-12)

17: V, Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 3/4 inch (Parker No. 772-12)

18: K, Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4) and Hose, 1/4 inch (Parker No. 451TC-4)

19: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4) and Hose, 1/4 inch (Parker No. 451TC-4)

20: Hose End - Female, Swivel, 90° ORFS (Parker No. JC943-4), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4) and Hose, 1/4 inch (Parker No. 451TC-4)

21: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6) and Hose, 1/4 inch (Parker No. 451TC-4)

22: Hose End - Female, Swivel, 90, ORFS (Parker No. 1J971-12), Hose End - Female, Swivel, ORFS (Parker No. 1JC71-12) and Hose, 3/4 inch (Parker No. 772-12)

MidWestTech | Terex Genie Z-60/34 Articulated Boom Lift Parts Manual | Publication 65440 Order the manual at mid-west-tech.com >

Item	Part No.	Description	Qty.

Footnotes

1: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8) and Hose, 1/2 inch (Parker No. 451TC-8)

2: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-12), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-12) and Hose, 3/4 inch (Parker No. 481-12)

3: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6), Hose End - Female, Swivel, 45°, ORFS (Parker No. 1J743-6) and Hose, 3/8 inch (Parker No. 451TC-6)

4: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-16), Hose End - Female, Swivel, ORFS (Parker No. 1JC43-16) and Hose, 1 inch (Parker No. 881-16)

5: Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J971-12), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J971-12) and Hose, 3/4 inch (Parker No. 772-12)

6: Hose End - Female, Swivel, 90°, Medium, ORFS (Parker No. 1J543-8), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8) and Hose, 1/2 inch (Parker No. 381-8)

7: Hose End - Female, Swivel, 90°, Long, ORFS (Parker No. 1J171-12), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J971-12) and Hose, 3/4 inch (Parker No. 772-12)

8: Hose End - Female, Swivel, Long, ORFS (Parker No. 1JS43-6-8), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-8) and Hose, 1/2 inch (Parker No. 451TC-8)

9: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-8), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-12-8) and Hose, 1/2 inch (Parker No. 451TC-8)

10: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-6-4) and Hose, 1/4 inch (Parker No. 451TC-4)

11: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-6), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-6) and Hose, 3/8 inch (Parker No. 451TC-6)

12: Hose End - Female, Swivel, ORFS (Parker No. 1JC43-4), Hose End - Female, Swivel, 90°, ORFS (Parker No. 1J943-4) and Hose, 1/4 inch (Parker No. 451TC-4)

MidWestTech | Terex Genie Z-60/34 Articulated Boom Lift Parts Manual | Publication 65440 Order the manual at mid-west-tech.com >