TECHNICAL MANUAL

UNDERCARRIAGE AND COMPONENTS

Issued 08-2005
6-80040 NA

NEW HOLLAND
CONSTRUCTION

MidWestTech | New Holland DC85, DC150, DC70, DC100, DC75, DC95, DC180 Undercarri...
Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

CRAWLER UNDERCARRIAGE COMPONENTS 1-1

UNDERCARRIAGE WEAR AND MEASUREMENT 1-2
- Track Measuring Tool Kit 1-2
- Record Keeping 1-2
- Before Measuring 1-3
- Rebuilding 1-3
- Repositioning 1-3
- Track Simulator 1-3

UNDERCARRIAGE COMPONENTS 1-4

UNDERSTANDING UNDERCARRIAGE WEAR 1-5
- Wear You Can Not Control 1-5
- Wear You Can Partially Control 1-5
- Wear You Can Control 1-7

EXTENDING UNDERCARRIAGE LIFE 1-8
- Track Adjustment and Inspection 1-8

SPROCKET WEAR AND MEASUREMENT 1-9
- Clean Track 1-9
- Sprocket Wear Patterns 1-10
- Measuring Sprocket Wear 1-15

BUSHING WEAR 1-16
- Bushing Off-Center Wear 1-16
- Roller Flange Wear on the Bushing 1-16
- Bushing Vertical Wear 1-16
- Bushing Reverse Drive Side Wear 1-16
- Bushing Forward Wear 1-16
- Bushing Cracks (Non-Lubricated Track) 1-17
- Bushing Cracks (Lubricated Track) 1-17
- Pins and Bushings (Pitch Extension) 1-17

TRACK PIN WEAR 1-18
- Pin Surface Wear 1-18
- Pin Spalling 1-18
- Pins Breaking 1-18
- Pin End Wear 1-18

TRACK LINK WEAR 1-19
- Link Uneven Top Wear 1-19
- Side Wear of the Link Rail 1-19
- Wear on the Inside Surface of the Link 1-19
- Pin Boss Top Wear 1-19
- Sprocket Wear on the Inside of the Links 1-19
- Wear in the Counterbore (Non-Lubricated Track) 1-20
- Link Rail Spalling 1-20
- Pin Boss End Wear of the Link 1-20
- Counterbore Extension of the Link 1-20
- Link Crack 1-20

IDLER WEAR 1-21
- Idler Tread Surface Wear 1-21
- Idler Flange Side Wear 1-21
- Idlers 1-21

TRACK ROLLER AND TRACK CARRIER ROLLER WEAR 1-22
- Flange Wear 1-22
- Track Rollers and Carrier Rollers 1-22

Bur 6-80040 Issued 05-05 Printed in U.S.A.

MidWestTech | New Holland DC85, DC150, DC70, DC100, DC75, DC95, DC180 Undercarri... Order the manual at mid-west-tech.com >


TRACK SHOE WEAR 1-23
Grouser Wear 1-23
Cracked or Broken Shoes 1-23
Bolt Holes Too Large 1-23
NON-LUBRICATED TRACK 1-24
Turning Pins and Bushings (Non-Lubricated Track) 1-24
LUBRICATED TRACK 1-25
Turning Pins and Bushings (Lubricated Track) 1-25
Marking the Pins and Bushings (Lubricated Track) 1-25
Track Bushings (Forward and Reverse Wear) - Sealed 1-26
Track Bushings (Vertical Wear) 1-26
TRACK TENSION 1-27
Extended Track Pitch (Length) - Non Lubricated Track Only 1-27
Track Tension 1-27
Other Conditions 1-27
Correct Tension 1-27
Bushing and Sprocket Wear Chart 1-27
Track Link Height 1-28
Procedure to Adjust the Track 1-28
To Tighten the Track Chain 1-28
DC70 DOZER WEAR CHARTS 2-29
DC75 DOZER WEAR CHARTS 3-33
Non-Lubricated Track 3-34
Lubricated and Non-Lubricated Track 3-35
DC80 DOZER WEAR CHARTS 4-39
DC85 DOZERS 5-43
Non-Lubricated Track 5-44
Lubricated and Non-Lubricated Track 5-45
DC95 DOZER WEAR CHARTS 6-49
Non-Lubricated Track 6-50
Lubricated and Non-Lubricated Track 6-51
DC100 DOZER WEAR CHARTS 7-55
DC150 DOZER WEAR CHARTS 8-59
Lubricated Track 8-59
DC180 DOZER WEAR CHARTS 9-63
Lubricated Track 9-63
GLOSSARY 10-67
TRACK COMPONENT APPRAISAL FORM 11-71

Bur 6-80040 Issued 05-05 Printed in U.S.A.

MidWestTech | New Holland DC85, DC150, DC70, DC100, DC75, DC95, DC180 Undercarri... Order the manual at mid-west-tech.com >

1. Remove the cap (1) from the front of the track adjuster.
2. Use a deep socket to loosen the **large** adapter (2) two turns. Do not remove the large adapter. Let the grease come out until the track deflection is 1-1/2 to 2 inches (38 to 51 mm).
3. Tighten the large adapter.
4. Install the cap on the track adjuster.
5. Adjust the other chain.

MidWestTech | New Holland DC85, DC150, DC70, DC100, DC75, DC95, DC180 Undercarri... Order the manual at mid-west-tech.com >

Grouser Wear - One Bar Track Shoe		
		Standard (560mm) Shoes 203mm (7.99 in) pitch
Depth Gauge Measurement		Percent Worn
mm	Inch	
71.50	2.81	0
68.00	2.68	10
63.50	2.50	20
59.50	2.34	30
55.00	2.17	40
50.50	1.99	50
46.50	1.83	60
42.50	1.67	70
38.00	1.50	80
33.00	1.30	90
26.50	1.04	100
20.00	.79	110
13.50	.53	120

BS07N008

Grouser Wear - One Bar Track Shoe		
		Wide (610mm)/LGP (915mm)Shoes 203mm (7.99 in) pitch
Depth Gauge Measurement		Percent Worn
mm	Inch	
55.00	2.17	0
51.50	2.03	10
48.50	1.91	20
45.50	1.79	30
42.00	1.65	40
39.00	1.54	50
38.00	1.49	60
32.50	1.28	70
29.00	1.14	80
24.40	.96	90
20.50	.81	100
16.50	.65	110
12.00	.47	120

BS07N009

MidWestTech | New Holland DC85, DC150, DC70, DC100, DC75, DC95, DC180 Undercarri... Order the manual at mid-west-tech.com >