1042/1052
Draper Headers

SERVICE MANUAL

7-90260

CASE IH AGRICULTURE

MidWestTech | Case 1042, 1052 Draper Header Service Manual | Publication 7-90260

Order the manual at mid-west-tech.com >

TABLE OF CONTENTS

OBJECTIVES 3

GENERAL INFORMATION 4

HYDRAULIC SYSTEM SPECIFICATIONS 5

HYDRAULIC RESERVOIR AND FILTERS 6
Hydraulic Reservoir 7
Filtration System 7
Hydraulic oil cooling system 7

HYDRAULIC PUMP AND DRIVE SYSTEM 8
Mounting Adapter Pump 9

MOTORS AND VALVES 10
Motors 11
Feed Auger Motor 11
Feeder Draper Motor 11
Left and Right Draper Motors 11

FLOW CONTROL VALVE 12
Flow Control Valve Components 14
Flow Control Valve Components 15
Relief Valve 15
Pressure-Compensating Spool 15
Check Valves 15

SYSTEM OPERATION 16

HYDRAULIC SYSTEM TESTING PROCEDURES 20

DIAGNOSTIC TEST EQUIPMENT 21
Hydraulic 21
Test Couplers and Hoses 21

DIAGNOSTIC TEST EQUIPMENT 22
Hydraulic 22
Digital Pressure & Temperature Analyzer 22
22

SYSTEM RELIEF VALVE TEST 24

SYSTEM RELIEF VALVE TEST 25

DRAPER DRIVE PUMP TEST 26
Draper Pump Flow and Pressure Test 27

CHECK VALVE TROUBLESHOOTING 28

NOTE: Case Corporation reserves the right to make improvements in design or changes in specifications at any time without incurring any obligation to install them on units previously sold.

Rac 7-91550EN Issued 3-99 Printed in U.S.A

MidWestTech | Case 1042, 1052 Draper Header Service Manual | Publication 7-90260 Order the manual at mid-west-tech.com >

HYDRAULIC SYSTEM SPECIFICATIONS

Pump output (Max)	32 Litres (8.5 gpm)
Pump output (min)	24.5 Litres (6.5 gpm)
Relief Valve Setting	190 ± 3 bar (2750 ± 50 PSI)
Reservoir Capacity	System 25 Litres (6.6 US gal) Tank only 17 Litres (4.5 US gal)
Oil Type	SAE 15W40 Class SH or CH-4 engine oil
Change Interval	1000 hours or 3 years
Filter Change Interval	First 50 hours and every 250 hours after

Rac 7-91550EN Issued 3-99 Printed in U.S.A.

MidWestTech | Case 1042, 1052 Draper Header Service Manual | Publication 7-90260 Order the manual at mid-west-tech.com >