
TEREX AERIALS
Milwaukee, Wisconsin

3715 G; 3715 RT
SCISSORS LIFT

ILLUSTRATED
PARTS CATALOG

FOR MACHINE
SERIAL NUMBER

_____



Art # A00.00956E

Part No. 89-925505 • Rev. 0.3 dated January 1997 •

MidWestTech | Terex 3715 6, 3715 RT Scissor Lift Parts Manual | Publication 89-925505
Order the manual at mid-west-tech.com >


PARTS LIST

ITEM	PART NO	SEE SECTION	DESCRIPTION	QTY.
1			CHASSIS WELDMENT, 3715 G OR 3715 RT SCISSORS	1
			With **Electro-Proportional** Drive:	
	222 2960		Two-Wheel Drive, with standard Stabilizers	
	222 3020		Four-Wheel Drive, with standard Stabilizers	
	220 2090		Two-Wheel Drive, with optional "A"-Frame Outriggers	
	222 7030		Four-Wheel Drive, with optional "A"-Frame Outriggers	
			With **Hydraulic Proportional** Drive:	
	222 7040		Two-Wheel Drive, with standard Stabilizers	
	222 7050		Four-Wheel Drive, with standard Stabilizers	
	220 5800		Two-Wheel Drive, with optional "A"-Frame Outriggers	
	222 7090		Four-Wheel Drive, with optional "A"-Frame Outriggers	
2	221 6970		EAR, SCISSOR MOUNTING (must be welded to Chassis)	4
3	09-062500		MOUNT, ENGINE (for versions with Wisconsin engine)	4
4			SPINDLE WELDMENT (for **2 Wheel Drive** versions)	
	222 8460		Right Hand Side	1
	222 8470		Left Hand Side	1
5	02-100301		WASHER, FLAT (0.81" I.D., 2.0" O.D.) (was 14-800140)	1
6	07-050022		NUT, LOCK (3/4"-10, Grade 5)	1
7	02-019502		PIN, COTTER (replaces 42-100919)	1
8	221 8250		PIN, SPINDLE (King pin) (1" dia. x 9-1/4" long) (replaces 42-800148)	2
9	08-100300		BUSHING, SPINDLE PIN (Upper, flanged. 1.00" I.D., 1.25" O.D., 0.75" long) (replaces 08-100200)	2
10	08-060400		BUSHING, SPINDLE PIN (Lower, Oilite. 1.00" I.D., 1.25" O.D., 1.00" long) (replaces 26-101049)	2
11	08-050000		FITTING, GREASE (1/8" NPT, straight)	2
12	08-066300		CAP, GREASE FITTING (White plastic)	2
13	07-100000		ROLL PIN (.31" x 2.0" long)	4
14	02-100400		HUB ASSEMBLY, WHEEL (front) (5 lug)	2
15	02-100401		HUB, WHEEL	1
16	07-030598		STUD, WHEEL (front) (1/2"-20 x 1-7/8")	5
17	02-100404		CUP, BEARING (Inner) (was 26-100908)	1
18	02-100405		CONE AND ROLLER, BEARING (Inner) (marked "**LM48548**") (was 26-100913)	1
19	02-100402		CUP, BEARING (Outer) (replaces 26-800141)	1
20	02-100403		CONE AND ROLLER, BEARING (Outer) (marked "**LM67048**") (was 26-100914)	1
21	02-100406		SEAL, GREASE (was 34-800145)	1
22	02-100407		CAP, DUST (2.25" dia.) (was 34-800137)	1

TITLE UNDERCARRIAGE ASS'Y, 3715G OR RT SCISSORS (PLATE 1 OF 9)

PLATE NO. 01.60 | **SIMON AERIALS INC.** REV. 02 JAN., 1997 | PART NO.

Order the manual at mid-west-tech.com >



TITLE	UNDERCARRIAGE ASS'Y, 3715G OR RT SCISSORS (PLATE 1 OF 9)
SIMON AERIALS INC. REV. 02 JAN., 1997	PART NO.
	PLATE NO. 01.60

Order the manual at mid-west-tech.com >

PARTS LIST

ITEM	PART NO	SEE SECTION	DESCRIPTION	QTY.
23	221 9840		BRACKET, MOTOR MOUNTING (Right, for **4WD** versions)	1
	221 9850		BRACKET, MOTOR MOUNTING (Left, for **4WD** versions)	1
24	02-105200		TORQUE HUB (for **4WD** versions)	2
25	07-030598		STUD, WHEEL (front) (1/2"-20 x 1-7/8")	10
26	07-003129		CAP SCREW, HEX HEAD (5/8"-11 x 2", Grade 5)	8
27	07-065021		WASHER, HELICAL LOCK (5/8")	8
28	02-105201		GASKET	1
29	01-204500		MOTOR, FRONT DRIVE (for **4WD** versions) (marked "**111A-129-AS-0**") (12.9 c.i.)	2
30	06-040300		ADAPTER, "O"-RING TO 37° (8-10 F5OX-S) (8MJ-10MB)	4
31	06-039500		ADAPTER, "O"-RING TO 37° (4-6 F5OX-S) (4MJ-6MB)	2
32	07-104500		CAP SCREW, HEX HEAD (1/2"-13 x 1-1/4", Nylock)	4
33	07-105500		WASHER, LOCK (1/2", heavy duty)	4
34	07-061018		WASHER, FLAT (Special SAE, 1/2" I.D., 1-1/16" O.D.)	4
35	221 7240		PIN, MOTOR BRACKET RETAINING (for **4WD** versions)	4
36	07-090069		CAP SCREW, FLAT SOCKET HEAD (1/2"-13 x 1", Nylock)	4
37	08-100300		BUSHING, SPINDLE PIN (Upper, flanged. 1.00" I.D., 1.25" O.D., 0.75" long)	2
38	08-100400		BUSHING, SPINDLE PIN (Lower)	2
39			WHEEL AND TIRE ASSEMBLY (Front)	2
	354 4470		Liquid Filled (standard)	
	354 7420		Foam Filled (optional)	
40	02-101100		WHEEL (15" x 13") (Front)	1
41	02-107000		TIRE (31 x 15.5-15 "**Super Terra Grip**") (replaces tire 02-101000, 31 x 15.5-15 "**XTC**" used earlier)	1
39	354 4450		WHEEL AND TIRE ASSEMBLY (Front, foam filled) (optional)	2
40	02-100100		WHEEL (15" x 8") (Front)	1
41	32-101043		TIRE (10-15 LT "**Gumbo Mudder**", 6 ply rated)	1
42	07-058118		NUT, LUG (front) (1/2"-20, Grade 8)	10
43	221 9500		TIE ROD (66" [1.68 M] long)	1
44	10-101160		END, TIE ROD (Marked "**TM-12N**") (with grease fitting) (earlier version, marked "**TM-12**" had no grease fitting)	2
45	08-102000		BUSHING (Bronze, .75" O.D., .62" I.D., .75" long)	2
46	07-106400		NUT, JAM (3/4"-16 NF)	2
47	07-003133		CAP SCREW, HEX HEAD (5/8"-11 x 3", Grade 5)	2
48	07-050021		NUT, LOCK (5/8"-11, Grade 5)	2

TITLE UNDERCARRIAGE ASS'Y, 3715G OR RT SCISSORS (PLATE 2 OF 9)

PLATE NO. 01.60 | **SIMON AERIALS INC.** REV. 02 JAN., 1997 | PART NO.

Order the manual at mid-west-tech.com >