
# ILLUSTRATED PARTS LIST

# KUBOTA

## K008-3

## EXCAVATOR



Kubota


Order the manual at mid-west-tech.com >

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No. | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|---|---|---|---|---|---|---|---|---|
| 010 | RA021-61132 | ASSY VALVE CONTROL | 1 | | | | 12.5 | 27.5 |
| 020 | RA121-70510 | ASSY VALVE SUPPLY | 1 | | | | 0.68 | 1.496 |
| 030 | RA011-70690 | PLUG | 1 | | | | 0.015 | 0.033 |
| 040 | 04810-00110 | O RING | 1 | | | | 0 | 0 |
| 050 | RA021-70620 | ASSY VALVE | 1 | | | | 0.97 | 2.134 |
| 060 | RA021-70520 | ASSY VALVE SWIVEL | 1 | | | | 0.93 | 2.046 |
| 070 | RA021-70530 | ASSY VALVE ARM | 1 | | | | 0.95 | 2.09 |
| 080 | RA021-70550 | ASSY VALVE TRAVEL | 1 | | | | 0.94 | 2.068 |
| 090 | RA021-71060 | ASSY VALVE BLADE | 1 | | | | 0.96 | 2.112 |
| 100 | RA021-70570 | ASSY VALVE S/P | 1 | | | | 0.98 | 2.156 |
| 110 | RA021-70550 | ASSY VALVE TRAVEL | 1 | | | | 0.94 | 2.068 |
| 120 | RA021-70540 | ASSY VALVE SWING | 1 | | | | 0.93 | 2.046 |
| 130 | RA011-70580 | ASSY VALVE BUCKET | 1 | | | | 0.94 | 2.068 |
| 140 | RA021-70590 | ASSY VALVE BOOM | 1 | | | | 0.94 | 2.068 |
| 150 | RA121-70560 | ASSY VALVE SUPPLY | 1 | | | | 0.7 | 1.54 |
| 160 | RA011-70690 | PLUG | 1 | | | | 0.015 | 0.033 |
| 170 | 04810-00110 | O RING | 1 | | | | 0 | 0 |
| 180 | RA011-70700 | PLUG | 1 | | | | 0.021 | 0.0462 |
| 190 | 04810-00140 | O RING | 1 | | | | 0 | 0 |
| 200 | RA021-70610 | ASSY VALVE RELIEF | 2 | | | | 0.17 | 0.374 |
| 210 | RA011-70620 | ASSY VALVE OVERLOAD | 2 | | | | 0.16 | 0.352 |
| 215 | RA011-70630 | ASSY VALVE OVERLOAD | 1 | | | | 0.155 | 0.341 |
| 220 | RA011-70640 | ASSY VALVE | 1 | | | | 0.12 | 0.264 |
| 230 | RA011-70650 | O RING | 1 | | | | 0.002 | 0.0044 |
| 240 | 04810-00100 | O RING | 2 | | | | 0 | 0 |
| 250 | RA121-70660 | BOLT | 3 | | | | 0.07 | 0.154 |
| 260 | RA011-70670 | NUT | 6 | | | | 0.006 | 0.0132 |



MidWestTech | Kubota K008-3 Excavator Parts Manual | Publication K008-3 Order the manual at mid-west-tech.com >

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No. | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|---|---|---|---|---|---|---|---|---|
| 010 | RA121-65310 | LINK | 1 | | | | 0.05 | 0.11 |
| 020 | 04011-60100 | WASHER PLAIN | 1 | | | | 0.024 | 0.0528 |
| 030 | 05525-61000 | PIN SNAP | 1 | | | | 0.002 | 0.0044 |
| 040 | RA011-65190 | PIN JOINT | 1 | | | | 0.003 | 0.0066 |
| 050 | RA011-65170 | PIN SNAP | 1 | | | | 0.001 | 0.0022 |
| 060 | RA028-66060 | ASSY LEVER SWIVEL | 1 | | | | 0.41 | 0.902 |
| 070 | 08511-01715 | BUSH | 2 | | | | 0.006 | 0.0132 |
| 080 | 31351-24220 | SCREW ROD-END RH | 1 | | | | 0.04 | 0.088 |
| 090 | 69191-65860 | TURNBUCKLE | 1 | | | | 0.024 | 0.0528 |
| 100 | 02114-60080 | NUT | 1 | | | | 0.002 | 0.0044 |
| 110 | 31351-24210 | SCREW ROD-END LH | 1 | | | | 0.04 | 0.088 |
| 120 | 66021-43440 | NUT | 1 | | | | 0.004 | 0.0088 |
| 130 | 69181-65660 | BOLT | 2 | | | | 0.01 | 0.022 |
| 140 | RA028-64710 | FLANGE | 2 | | | | 0.11 | 0.242 |
| 150 | 68551-33210 | BUSH | 2 | | | | 0.04 | 0.088 |
| 160 | 04011-60160 | WASHER PLAIN | 2 | | | | 0.01 | 0.022 |
| 170 | RA028-64740 | SHAFT | 1 | | | | 0.56 | 1.232 |
| 180 | RA028-64760 | LINK | 1 | | | | 0.065 | 0.143 |
| 190 | 04011-60100 | WASHER PLAIN | 1 | | | | 0.024 | 0.0528 |
| 200 | 05525-61000 | PIN SNAP | 1 | | | | 0.002 | 0.0044 |
| 210 | RA011-65190 | PIN JOINT | 1 | | | | 0.003 | 0.0066 |
| 220 | RA011-65170 | PIN SNAP | 1 | | | | 0.001 | 0.0022 |
| 230 | RA028-65380 | LEVER BOOM | 1 | | | | 0.19 | 0.418 |
| 240 | RA028-64750 | LEVER BOOM | 1 | | | | 0.15 | 0.33 |
| 250 | 05411-00630 | PIN SPRING | 2 | | | | 0.004 | 0.0088 |
| 260 | RA028-64720 | END ROD RH | 2 | | | | 0.026 | 0.0572 |
| 270 | 02114-60080 | NUT | 2 | | | | 0.002 | 0.0044 |
| 280 | RA211-65650 | NUT | 1 | | | | 0.012 | 0.0264 |
| 290 | 69181-65660 | BOLT | 2 | | | | 0.01 | 0.022 |
| 300 | 01123-60820 | BOLT | 4 | | | | 0.015 | 0.033 |



MidWestTech | Kubota K008-3 Excavator Parts Manual | Publication K008-3 Order the manual at mid-west-tech.com >

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No. | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|---|---|---|---|---|---|---|---|---|
| 010 | RA028-43404 | COMP.BONNET | 1 | | | | 10.9 | 23.98 |
| 020 | RA021-43512 | SEAL RUBBER | 1 | | | | 0.46 | 1.012 |
| 030 | RA021-43552 | TRIM SASH | 1 | | | | 0.033 | 0.0726 |
| 040 | RA021-43473 | BRACKET BONNET | 1 | | | | 0.79 | 1.738 |
| 050 | 01135-61025 | BOLT | 3 | | | | 0.04 | 0.088 |
| 060 | 04013-60120 | WASHER PLAIN | 1 | | | | 0.01 | 0.022 |
| 070 | 05525-51200 | PIN SNAP | 1 | | | | 0.003 | 0.0066 |
| 080 | RA021-43630 | WIRE | 1 | <=11775 | | | 0.022 | 0.0484 |
| 080 | RA028-43520 | STAY | 1 | >=11776 | ≠ | | 0.09 | 0.198 |
| 082 | RA028-43530 | STAY | 1 | >=11776 | | | 0.125 | 0.275 |
| 084 | 05122-50816 | PIN JOINT | 1 | >=11776 | | | 0.007 | 0.0154 |
| 090 | 04013-60080 | WASHER PLAIN | 2 | <=11775 | | | 0.002 | 0.0044 |
| 090 | 04013-60080 | WASHER PLAIN | 3 | >=11776 | | | 0.002 | 0.0044 |
| 100 | 05525-50800 | PIN SNAP | 2 | <=11775 | | | 0.001 | 0.0022 |
| 100 | 05525-50800 | PIN SNAP | 3 | >=11776 | | | 0.001 | 0.0022 |
| 110 | 69191-43610 | LOCK BONNET | 1 | | | | 0.07 | 0.154 |
| 120 | 05122-50860 | PIN JOINT | 1 | | | | 0.025 | 0.055 |
| 130 | 04013-60080 | WASHER PLAIN | 1 | | | | 0.002 | 0.0044 |
| 140 | 05525-50800 | PIN SNAP | 1 | | | | 0.001 | 0.0022 |
| 150 | 69191-43660 | SPRING | 1 | | | | 0.008 | 0.0176 |



MidWestTech | Kubota K008-3 Excavator Parts Manual | Publication K008-3 Order the manual at mid-west-tech.com >