# ILLUSTRATED PARTS LIST

# KUBOTA

## M4900SU

## TRACTOR



Kubota


Order the manual at mid-west-tech.com >

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No. | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|---|---|---|---|---|---|---|---|---|
| 010 | 3A111-82502 | ASSY HEAD HYD.CYL. | 1 | <=12516 | | NOT SALE ORDER BY REF.No.210 | 3.5 | 7.7 |
| 010 | 3A111-82503 | ASSY HEAD HYD.CYL. | 1 | >=12517 | ← | | 3.5 | 7.7 |
| 020 | 06312-10020 | PLUG | 1 | | | | 0.016 | 0.0352 |
| 030 | 31351-37160 | PLUG | 1 | | | | 0.003 | 0.0066 |
| 040 | 38240-37250 | COLLAR ADJUSTING | 1 | | | | 0.01 | 0.022 |
| 050 | 04611-00160 | CIR CLIP INTERNAL | 1 | | | | 0.001 | 0.0022 |
| 060 | 3A011-81650 | SHAFT | 1 | | | | 0.13 | 0.286 |
| 070 | 04810-00100 | O RING | 2 | | | | 0 | 0 |
| 070 | 04817-00100 | O RING | 2 | | ← | | 0.001 | 0.0022 |
| 080 | 04611-00180 | CIR CLIP INTERNAL | 1 | | | | 0.001 | 0.0022 |
| 090 | 04011-50100 | WASHER PLAIN | 1 | | | | 0.002 | 0.0044 |
| 100 | 3G700-82402 | VALVE CYL.SAFETY | 1 | | | | 0.4 | 0.88 |
| 100 | YR827-00100 | VALVE CYL.SAFETY | 1 | | ↔ | | 0.39 | 0.858 |
| 110 | 04810-00160 | O RING | 1 | | | | 0 | 0 |
| 110 | 04817-00160 | O RING | 1 | | ← | | 0.001 | 0.0022 |
| 120 | 04815-06280 | O RING | 1 | | | | 0 | 0 |
| 120 | 04817-06280 | O RING | 1 | | ← | | 0.002 | 0.0044 |
| 130 | 33770-94040 | RING BACK UP | 1 | <=10921 | | | 0.002 | 0.0044 |
| 130 | YT133-00160 | RING BACK UP | 1 | >=10922 | ← | | 0.001 | 0.0022 |
| 140 | 3A111-09840 | O RING | 1 | | | | 0.004 | 0.0088 |
| 150 | 3A111-09810 | O RING | 1 | | | | 0.001 | 0.0022 |
| 160 | 04815-00100 | O RING | 1 | | | | 0 | 0 |
| 160 | 04817-00100 | O RING | 1 | | ← | | 0.001 | 0.0022 |
| 170 | 01133-51245 | BOLT | 5 | <=12516 | | | 0.055 | 0.121 |
| 170 | 01133-51245 | BOLT | 4 | >=12517 | | | 0.055 | 0.121 |
| 175 | 01133-51250 | BOLT | 1 | >=12517 | | | 0.055 | 0.121 |
| 180 | 01173-51260 | BOLT | 1 | <=11985 | | | 0.06 | 0.132 |
| 180 | 01133-51260 | BOLT | 1 | >=11986 | ← | | 0.06 | 0.132 |
| 190 | 04512-60120 | WASHER SPRING | 1 | <=11985 | | | 0.005 | 0.011 |
| 200 | 37410-36643 | GRIP | 1 | | | | 0.03 | 0.066 |
| 210 | 3A111-97010 | KIT HEAD HYD.CYL. | 1 | <=12516 | | | 4 | 8.8 |



MidWestTech | Kubota M4900SU Tractor Parts Manual | Publication M4900SU Order the manual at mid-west-tech.com >

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No. | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|---|---|---|---|---|---|---|---|---|
| 010 | 3A211-97300 | KIT LABEL SAFETY (A) | 1 | <=12863 | | NOT SALE | 0.031 | 0.0682 |
| 010 | 3A211-97302 | KIT LABEL SAFETY (A) | 1 | >=12864 | ← | | 0.031 | 0.0682 |
| 020 | TA040-49302 | LABEL I-PTO CAUTION | 1 | | | | 0.001 | 0.0022 |
| 030 | 35260-34913 | LABEL SAFETY | 1 | <=12863 | | | 0 | 0 |
| 030 | 35260-34914 | LABEL SAFETY | 1 | >=12864 | ← | | 0.005 | 0.011 |
| 040 | TA040-49350 | LABEL DRAWBAR | 1 | | | | 0.002 | 0.0044 |
| 050 | TA040-49590 | LABEL PTO WARNING | 1 | | | | 0.002 | 0.0044 |
| 060 | TA040-49320 | LABEL ROPS WARNING | 1 | | | RIGID ROPS TYPE | 0.001 | 0.0022 |
| 060 | 3A111-98482 | LABEL ROPS WARNING | 1 | | | FOLDABLE ROPS TYPE | 0.004 | 0.0088 |
| 070 | 3A111-98563 | LABEL LIFT ROD | 1 | | | | 0.002 | 0.0044 |
| 080 | 3A011-98960 | MARK RANGE SHIFT | 1 | | | | 0.021 | 0.0462 |
| 090 | 3A011-98450 | LABEL SPEED | 1 | | | | 0.003 | 0.0066 |
| 100 | TA040-49760 | MARK DIFF.LOCK | 1 | | | | 0.001 | 0.0022 |
| 120 | 3A011-98230 | LABEL POSITION | 1 | | | | 0.002 | 0.0044 |
| 130 | 33740-98290 | LABEL PTO CLUTCH | 1 | | | | 0.001 | 0.0022 |
| 140 | 6C170-45980 | LABEL ADJUSTER | 1 | | | | 0.001 | 0.0022 |
| 150 | 6C140-47460 | LABEL ROPS WARNING | 1 | | | RIGID ROPS TYPE | 0.001 | 0.0022 |
| 160 | 3A111-95540 | LABEL ROPS CAUTION | 1 | | | FOLDABLE ROPS TYPE | 0.003 | 0.0066 |
| 170 | 3A211-75800 | REFLECTOR LABEL | 2 | >=12439 | | | 0.004 | 0.0088 |
| 180 | 3A152-98440 | LABEL CLUTCH PEDAL | 1 | >=13262 | | | 0.003 | 0.0066 |



MidWestTech | Kubota M4900SU Tractor Parts Manual | Publication M4900SU Order the manual at mid-west-tech.com >

# AUXILIARY CONTROL VALVE KIT (SCD)(2ND) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No. | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|---|---|---|---|---|---|---|---|---|
| 010 | 3A111-82540 | VALVE AUX.CONTROL | 1 | | | | 3.6 | 7.92 |
| 020 | 04815-07560 | O RING | 1 | | | | 0.002 | 0.0044 |
| 030 | 01173-51002 | BOLT | 1 | | | | 0.065 | 0.143 |
| 040 | 04512-60100 | WASHER SPRING | 1 | | | | 0.002 | 0.0044 |
| 050 | 01153-50802 | BOLT | 2 | | | | 0.04 | 0.088 |
| 060 | 04512-60080 | WASHER SPRING | 2 | | | | 0.002 | 0.0044 |
| 070 | 3A011-82462 | LEVER AUX.CON.VALVE | 1 | | | | 0.765 | 1.683 |
| 080 | 36330-82450 | GRIP | 1 | | | | 0.025 | 0.055 |
| 090 | 05122-50518 | PIN JOINT | 2 | | | | 0.002 | 0.0044 |
| 100 | 04012-50050 | WASHER PLAIN | 2 | | | | 0.001 | 0.0022 |
| 110 | 05525-60500 | PIN SNAP | 2 | | | | 0.001 | 0.0022 |
| 120 | 35861-82370 | NIPPLE | 2 | | | | 0.05 | 0.11 |
| 130 | 04811-00140 | O RING | 2 | | | | 0 | 0 |
| 130 | 04817-00140 | O RING | 2 | <=12930 | ← | | 0.001 | 0.0022 |
| 130 | 04816-00140 | O RING | 2 | >=12931 | ← | | 0.002 | 0.0044 |
| 140 | 3A011-82380 | HOSE AUX.CONT.VALVE | 2 | | | | 0.3 | 0.66 |
| 150 | 99063-93410 | ADAPTER | 2 | | | | 0.07 | 0.154 |
| 160 | 35861-82032 | ASSY COUPLER FEMALE | 2 | | | | 0.32 | 0.704 |
| 170 | 35861-94510 | O RING | 2 | | | NOT SHOWN IN FIG. | 0.002 | 0.0044 |
| 180 | 35861-94520 | PLUG COUPLER | 2 | | | | 0.005 | 0.011 |
| 190 | 35893-82610 | SUPPORT COUPLER | 1 | | | | 0.73 | 1.606 |
| 200 | 04611-00380 | CIR CLIP INTERNAL | 2 | | | | 0.004 | 0.0088 |
| 210 | 01153-50802 | BOLT | 2 | | | | 0.04 | 0.088 |
| 220 | 04512-60080 | WASHER SPRING | 2 | | | | 0.002 | 0.0044 |
| 230 | 02114-50080 | NUT | 2 | | | | 0.005 | 0.011 |



MidWestTech | Kubota M4900SU Tractor Parts Manual | Publication M4900SU Order the manual at mid-west-tech.com >