DAVID BROWN

Comprehensive

Numerical Index Selectamatic Tractors

Tractor Models 1200/990/880/780/770

PUBLICATION TP664 (February 1971)

TP664

Reprinted

MidWestTech | Case 1200, 990, 880, 780, 770 Tractor Parts Catalog | Publication TP-664 Order the manual at mid-west-tech.com >

TRACTOR NUMERICAL INDEX

Part No.	Description	1200 Page	990 Page	880 Page	780 Page	770 Page	AD4/47 Engine (990) Page	4000 3800 Engine (880-780) Page
10029	cover—tappets	5	5	–	–	–	3s	–
10030	gasket	5	5	–	–	–	3s	–
10050	welch plug, 1¼ in.	–	89	83	71	37	–	–
10455	clip	22	20	–	20	22	–	24s
10518	buckle clip	97	87	81	–	–	–	–
10629	dowel, ⅜ × 1⅜ in.	7	7	7	7	7	5s	7s
10863	screw, 4 BA × ⅜ in.	127	139	123	105	–	–	–
11017	locating spring	9	9	9	9	9	7s	9s
11018	locating spring	9	9	–	–	–	7s	–
11034	locating spring	9	9	–	–	–	7s	–
11060	bush	9	9	9	9	9	7s	9s
11109	nut, 2 BA	13	13	13	13	13	11s	13s
11113	Mills pin, ⅜ × 1½ in.	–	–	–	85	–	–	–
11119	oil seal, 1⅜ × 2½ × ⅞ in.	–	111	94	67	67	–	–
11128	circlip, 1 in. ext.	29	29	9	9	9	–	–
11129	circlip, 1½ in. ext.	55	81	75	83	81	–	–
11148	shakeproof washer, 7/16 in.	99	–	–	–	–	–	–
11189	screw, 7/16 Whit. × ⅝ in.	–	85	79	–	–	–	–
11246	Mills pin, ⅝ × 1½ in.	–	111	95	–	67	–	–
11262	key, Woodruff 505	12	59	53	47	47	–	–
11263	split pin, ⅜ × 1¾ in.	25	–	–	–	–	–	–
11273	Mills pin, ⅞ × 2 in.	–	–	–	–	29	–	–
11286	steel ball, 7/16 in.	57	63	57	49	51	–	–
11290	circlip, ⅜ in. ext.	26	29	29	25	51	–	–
11302	circlip, ½ in. ext.	37	43	39	35	35	–	–
11312	taper washer, ½ in.	–	95	89	–	75	–	–
11315	Mills pin, ½ × 1½ in.	–	–	–	27	–	–	–
11405	rivet, ½ × ⅝ in.	103	–	–	88	–	–	35s
11478	rivet, 7/16 × ⅞ in.	–	–	75	83	81	–	–
11481	circlip, 85 mm int.	31	–	–	–	29	–	–
11482	dowel, ⅞ × 1½ in.	39	45	41	37	37	–	–
11483	steel ball, 9/16 in.	59	57	51	53	–	–	–
11513	shakeproof washer, ⅜ in.	–	–	117	–	–	–	–
11516	shakeproof washer, ⅝ in.	57	63	57	49	51	–	–
11517	shakeproof washer, ¾ in.	–	123	103	93	85	–	37s
11518	shakeproof washer, ½ in.	49	53	47	43	43	–	–
11519	shakeproof washer, ⅞ in.	96	136	73	102	92	–	29s
11522	shakeproof washer, ⅝ in.	77	81	75	83	81	–	–
11523	shakeproof washer, 7/16 in.	–	128	108	96	87	–	–
11524	shakeproof washer, ½ in.	122	–	–	–	–	–	–
11538	circlip, 1½ in. ext.	76	–	–	–	31	–	–
11548	steel ball, ½ in.	51	41	49	45	45	–	–
11569	locknut, 1 in. BSF	69	73	65	–	–	–	–
11576	washer, copper-asbestos, ½ in.	–	–	–	–	–	17s	–
11583	screw, 4 BA × ⅞ in.	117	–	–	–	–	–	–
11590	tabwasher	29	35	35	–	29	–	–
11597	hammer-drive screw	130	–	–	109	–	–	–
11598	bush	–	91	85	75	–	–	–
11651	shaft and bearing—water pump	14	14	14	14	14	12s	18s
11673	tabwasher	14	14	14	14	14	12s	18s
11735	circlip, 2½ in. int.	55	–	–	–	–	–	–
11737	Mills pin, ⅜ × 2½ in.	77	–	–	–	–	–	–
11744	circlip, 1⅞ in. int.	87	107	–	–	67	–	–
11762	washer, copper-asbestos, ⅜ in.	–	–	13	13	13	–	5s
11797	circlip, ⅜ in. ext.	37	43	39	35	35	–	27s
11806	hose clip, 2⅛ in. dia.	44	–	–	–	–	–	–
11885	spring washer, 11/32 in.	123	87	114	–	91	–	–
11907	washer, 7/16 in.	–	–	69	–	–	–	–
11933	split pin, ⅛ × ⅜ in.	77	79	238	238	–	–	–
11934	split pin, 5/32 × ½ in.	73	135	47	43	43	–	–
11985	dowel, ½ × 1 7/16 in.	–	33	33	29	–	–	–

Figures in Bold Type indicate assemblies

MidWestTech | Case 1200, 990, 880, 780, 770 Tractor Parts Catalog | Publication TP-664 Order the manual at mid-west-tech.com >

TRACTOR NUMERICAL INDEX

Part No.	Description	1200 Page	990 Page	880 Page	780 Page	770 Page	AD4/47 Engine (990) Page	4600 3800 Engine (880-780) Page
12013	gauze	15	15	–	–	–	13s	–
12121	screw, 2 BA × ¼ in.	–	142	113	101	95	–	37s
12131	bolt, ¼ BSF × 7/16 in.	–	49	43	38	39	–	–
12189	screw, 2 BA × ½ in.	–	–	73	61	61	–	–
12207	circlip, 1⅛ in. ext.	–	–	–	–	–	–	15s
12213	setscrew, 2 BA × ½ in.	–	–	–	–	–	–	29s
12217	screw, 2 BA × ⅜ in.	13	13	13	13	13	11s	13s
12236	circlip, 4 in. int.	31	–	–	–	–	–	–
12245	clip	–	–	–	–	96	–	–
12250	grease nipple, ¼ BSP	14	14	–	–	–	12s	–
12258	dowel, 7/16 × ⅜ in.	5	5	107	–	–	3s	–
12272	oil seal, 1½ × 2⅜ × ½ in.	–	–	–	–	69	–	–
12275	roller bearing	31	–	–	–	–	–	–
12285	nut, ¼ BSF, left-hand	–	76	–	–	–	–	28s
12300	circlip, 2 in. ext.	31	–	–	–	–	–	–
12302	shim, ·010 in.	–	–	–	84	84	–	–
12311	roller bearing	31	–	–	–	–	–	–
12355	domed nut, 2 BA	119	137	115	102	92	–	38s
12362	taper plug, 1 in. BSP	39	45	41	37	37	–	–
12390	circlip, 2⅛ in. int.	–	–	–	–	–	–	15s
12421	welch plug, 1⅛ in. dia.	–	–	–	95	87	–	–
12431	ball joint	–	76	–	–	–	–	27s
12553	sealing washer, ½ in.	–	–	–	–	–	–	17s
12755	hose clip, 2⅜ in. dia.	20	8	19	18	–	–	22s
12922	circlip, 1⅜ in. ext.	25	23	23	23	29	–	–
12925	spring pin, ½ × 1½ in.	26	29	29	25	–	–	–
12939	washer, 7/16 in., special	73	76	73	61	61	–	–
12940	spring	123	–	–	–	–	–	–
12961	spring	15	15	–	–	–	13s	–
12994	tabwasher	5	5	–	–	–	3s	–
13015	lock plate	36	42	38	34	34	–	–
13042	circlip, 3½ in. ext.	39	45	41	–	–	–	–
13048	rivet, 5/16 × ⅞ in.	77	79	75	83	–	–	–
13053	circlip, 72 mm int.	25	27	–	–	25	–	–
13054	circlip, 30 mm ext.	–	–	–	–	67	–	–
13068	hose clip, ⅜ in. dia.	11	11	–	–	11	–	11s
13069	hose clip, ½ in. dia.	11	11	11	11	75	–	–
13070	hose clip, ⅝ in. dia.	91	96	89	77	75	–	–
13078	hose clip, 1⅞ in. dia.	17	17	17	17	17	15s	21s
13079	hose clip, 2 in. dia.	17	17	17	17	17	15s	21s
13082	hose clip, 2⅜ in. dia.	20	18	–	–	–	–	–
13083	hose clip, 2¼ in. dia.	–	–	18	18	19	16s	–
13084	hose clip, 2⅝ in. dia.	20	18	18	–	–	–	–
13085	hose clip, 2¾ in. dia.	–	–	–	–	19	16s	–
13095	hose clip, 4 in. dia.	118	–	114	101	–	–	–
13170	circlip, 52 mm int.	–	111	9	9	9	–	–
13176	grease nipple, ¼ ANF	27	45	41	37	37	–	27s
13226	spring	–	23	23	23	25	–	–
13348	circlip, 3⅜ in. int.	–	–	–	37	–	–	–
13349	oil seal, 2½ × 3⅜ × ½ in.	–	–	–	37	–	–	–
13353	oil seal, 1½ × 3 3/16 × ½ in.	114	128	108	96	–	–	–
13366	sleeve	–	–	–	37	–	–	–
13367	tabwasher	–	–	–	37	37	–	–
13368	ring nut, 2½ in., special	–	–	–	37	37	–	–
13506	steel ball, ⅜ in.	31	33	33	29	33	–	–
13507	spring	31	33	33	29	33	–	–
13709	oil seal, 1 13/16 × 2½ × 7/16 in.	–	113	97	69	–	–	–
13809	circlip, 45 mm ext.	–	33	33	29	–	–	–
14001	cover—clutch	–	–	27	–	–	–	–

Figures in **Bold Type** indicate assemblies

MidWestTech | Case 1200, 990, 880, 780, 770 Tractor Parts Catalog | Publication TP-664 Order the manual at mid-west-tech.com >

Part No.	Description	1200 Page	990 Page	880 Page	780 Page	770 Page	AD4/47 Engine (990) Page	4000 3800 Engine (880-780) Page
14002	**pressure plate**	–	–	27	–	–	–	–
14003	**strut**	–	27	27	–	27	–	–
14005	**pin, $\frac{1}{2}$ × $\frac{7}{8}$ in.**	–	27	27	–	27	–	–
14013	**spring**	–	–	27	–	–	–	–
14015	**cover assembly—single clutch**	–	–	27	–	–	–	–
14079	**retaining spring**	–	27	27	–	27	–	–
14080	**plate**	–	–	27	–	27	–	–
14083	**carbon block**	–	27	27	–	27	–	–
14227	**clevis pin, $\frac{3}{4}$ × 1$\frac{1}{16}$ in.**	29	31	31	85	–	–	–
14233	**fork end, $\frac{3}{4}$ BSF**	–	31	31	–	–	–	–
14337	**circlip, 1$\frac{3}{8}$ in. ext.**	–	27	–	–	25	–	–
14393	**clip**	118	–	79	87	–	–	–
14411	**bush**	–	147	125	–	–	–	–
14412	**bush**	–	147	125	–	–	–	–
14416	**push-on fix**	103	119	99	–	82	–	35s
14491	**oil seal, 2$\frac{1}{2}$ × 3 × $\frac{3}{8}$ in.**	–	–	–	–	37	–	–
14492	**'O' ring, 1$\frac{3}{8}$ in. int. dia.**	–	–	–	73	73	–	–
14508	**'O' ring, 1$\frac{7}{8}$ in. int. dia.**	–	–	85	–	–	–	–
14509	**'O' ring, 1$\frac{1}{2}$ in. int. dia.**	40	–	–	–	–	–	–
14518	**taper plug, $\frac{1}{4}$ BSP**	101	113	97	69	69	–	–
14542	**dowel, $\frac{3}{8}$ × $\frac{1}{2}$ in.**	–	42	38	–	34	–	–
14552	**bolt, $\frac{1}{4}$ BSF × 8$\frac{3}{4}$ in.**	–	128	–	–	–	–	–
14563	**buckle clip**	91	96	89	77	–	–	–
14573	**'O' ring, $\frac{3}{16}$ in. int. dia.**	13	–	–	–	–	–	–
14577	**dowel, $\frac{1}{2}$ × $\frac{7}{16}$ in.**	99	13	95	67	67	–	15s
14582	**washer, $\frac{1}{2}$ in., special**	114	–	–	–	–	–	–
14651	**spring**	77	81	75	83	81	–	–
14658	**'O' ring, $\frac{1}{2}$ in. int. dia.**	52	49	43	39	39	–	33s
14659	**taper plug, $\frac{1}{8}$ BSP**	81	–	–	–	–	–	–
14673	**clip**	13	–	–	–	–	–	13s
14674	**washer, copper, $\frac{7}{16}$ in.**	15	15	15	15	15	13s	19s
14679	**hose clip, $\frac{5}{8}$ in. dia.**	85	41	–	–	–	–	–
14687	**washer, 1$\frac{1}{8}$ in.**	33	36	36	31	–	–	–
14715	**distance piece**	–	31	31	–	–	–	–
14744	**pin, $\frac{3}{8}$ × 1$\frac{1}{8}$ in.**	27	31	31	83	81	–	–
14745	**adjusting nut, $\frac{3}{4}$ BSF**	–	31	31	–	–	–	–
14809	**return spring**	–	81	75	83	81	–	–
14968	**bolt, $\frac{5}{8}$ BSF × 2$\frac{1}{2}$ in.**	–	59	53	–	47	–	–
14988	**washer, copper-asbestos, $\frac{5}{8}$ in.**	11	11	5	5	5	9s	5s
15007	**adjuster wheel**	36	42	38	34	34	–	–
15020	**pinion**	–	42	38	34	34	–	–
15028	**'O' ring, $\frac{7}{8}$ in. int. dia.**	–	68	60	–	54	–	15s
15030	**washer, copper, $\frac{1}{2}$ in.**	–	–	5	–	13	–	–
15135	**Nyloc nut, $\frac{7}{16}$ BSF**	7	7	7	7	7	5s	7s
15143	**rolled copper washer, $\frac{7}{8}$ in.**	–	68	60	–	54	–	–
15172	**ball bearing**	–	111	94	67	–	–	–
15176	**oil seal, 1$\frac{1}{2}$ × 1$\frac{3}{4}$ × $\frac{1}{4}$ in.**	–	33	33	29	–	–	–
15177	**oil seal, 1$\frac{3}{8}$ × 2$\frac{1}{4}$ × $\frac{1}{4}$ in.**	99	–	–	–	–	–	–
15217	**dowel, $\frac{7}{16}$ × 1$\frac{1}{16}$ in.**	–	128	108	96	87	–	–
15222	**cover**	–	128	–	–	–	–	–
15228	**gasket**	–	128	–	–	–	–	–
15265	**'O' ring, 2$\frac{1}{4}$ in. int. dia.**	83	91	–	–	–	–	–
15279	**'O' ring, 1$\frac{1}{8}$ in. int. dia.**	45	48	42	38	39	–	–
15290	**'O' ring, $\frac{5}{16}$ in. int. dia.**	40	–	–	–	–	–	–
15344	**gasket**	83	91	85	73	73	–	–
15439	**Mills pin, $\frac{5}{16}$ × 1$\frac{1}{4}$ in.**	31	–	–	–	33	–	–
15484	**washer, 1$\frac{1}{16}$ in., special**	–	78	–	–	–	–	–
15498	**sealing washer, $\frac{1}{16}$ in.**	–	111	95	67	67	–	–
15499	**washer, $\frac{3}{8}$ in., special**	99	–	–	–	–	–	–
15506	**self-tapping screw**	–	–	–	–	83	–	–
15512	**washer, copper, $\frac{3}{8}$ in.**	5	5	5	5	5	3s	5s

Figures in Bold Type indicate assemblies

MidWestTech | Case 1200, 990, 880, 780, 770 Tractor Parts Catalog | Publication TP-664 Order the manual at mid-west-tech.com >